



# KATALOG PRODUK

[www.tonataindonesia.com](http://www.tonataindonesia.com)





## ABOUT US



Tonata Indonesia adalah brand lokal sejak 2019 yang fokus menghadirkan perlindungan kebakaran yang terjangkau, berkualitas, dan dapat diandalkan. Kami menyediakan APAR SNI, alarm kebakaran, selimut api, dan perlengkapan keselamatan lainnya untuk rumah, usaha, dan fasilitas publik.

Produk APAR Tonata telah tersertifikasi SNI 180-1:2022, sebagai bentuk komitmen terhadap mutu dan keselamatan. Dengan distribusi luas dan pelayanan responsif, kami siap menjadi mitra andal untuk kebutuhan proteksi kebakaran Anda.



WEBSITE

SCAN QR CODE

**UNTUK MENGENAL  
KAMI LEBIH JAUH**



# ALAT PEMADAM API

## ABC POWDER



**TNT-100PS  
1 KG**



**TNT-200PS  
2 KG**



**TNT-300PS  
3 KG**



**TNT-400PS  
4 KG**



**TNT-600PS  
6 KG**



**TNT-900PS  
9 KG**



**TNT-M50  
0,5 KG M50**



**TNT-M100  
1 KG M100**

**ALAT PEMADAM API****ABC POWDER****TNT-2500PS  
25 KG****TNT-3500PS  
35 KG****TNT-7500PS  
75 KG****TNT-5000PS  
50 KG****TNT-15000PS  
150 KG****TNT-10000PS  
100 KG**



## SPESIFIKASI PRODUK

EFEKTIF UNTUK API



| MODEL         | ABC POWDER<br>M50<br>TNT-M50 | ABC POWDER<br>M100<br>TNT-M100 | ABC POWDER<br>1 KG<br>TNT-100PS | ABC POWDER<br>2 KG<br>TNT-200PS | ABC POWDER<br>3 KG<br>TNT-300PS | ABC POWDER<br>4 KG<br>TNT-400PS | ABC POWDER<br>6 KG<br>TNT-600PS |
|---------------|------------------------------|--------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Media         | ABC Powder 90% UL            |                                |                                 |                                 |                                 |                                 |                                 |
| Gas Pendorong | N2                           |                                |                                 |                                 |                                 |                                 |                                 |
| Berat Total   | ± 2 kg                       | ± 2 kg                         | ± 1.94 kg                       | ± 3.70 kg                       | ± 4.90 kg                       | ± 5.96 kg                       | ± 8.80 kg                       |
| Berat Isi     | 1 kg ± 0.09 kg               | 1 kg ± 0.09 kg                 | 1 kg ± 0.05 kg                  | 2 kg ± 0.06 kg                  | 3 kg ± 0.06 kg                  | 4 kg ± 0.08 kg                  | 6 kg ± 0.12 kg                  |
| Tinggi Total  | 300 mm                       | 300 mm                         | 330 mm                          | 390 mm                          | 432 mm                          | 512 mm                          | 495 mm                          |
| Lebar         | 86 mm                        | 86 mm                          | 80 mm                           | 105 mm                          | 130 mm                          | 125 mm                          | 150 mm                          |
| Jarak Semprot | 2 - 7 Meter                  | 2 - 7 Meter                    | 2 - 7 Meter                     | 2 - 7 Meter                     | 2 - 7 Meter                     | 3 - 9 Meter                     | 3 - 9 Meter                     |
| Fire Rating   | 5A 21B C                     | 5A 21B C                       | 5A 21B C                        | 8A 34B C                        | 13A 55B C                       | 13A 70B C                       | 21A 113B C                      |
| Standar       | Non SNI                      | SNI 180-1:2022                 |                                 |                                 |                                 |                                 |                                 |
| Tekanan Kerja | 14 bar                       |                                |                                 |                                 |                                 |                                 |                                 |

| MODEL         | ABC POWDER<br>9 KG<br>TNT-900PS | ABC POWDER<br>25 KG<br>TNT-2500PS | ABC POWDER<br>35 KG<br>TNT-3500PS | ABC POWDER<br>50 KG<br>TNT-5000PS | ABC POWDER<br>75 KG<br>TNT-7500PS | ABC POWDER<br>100 KG<br>TNT-10000PS | ABC POWDER<br>150 KG<br>TNT-15000PS |
|---------------|---------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|
| Media         | ABC Powder 90% UL               |                                   |                                   |                                   |                                   |                                     |                                     |
| Gas Pendorong | N2                              |                                   |                                   |                                   |                                   |                                     |                                     |
| Berat Total   | ± 12.98 kg                      | ± 44 kg                           | ± 55 kg                           | ± 76 kg                           | ± 102 kg                          | ± 135 kg                            | ± 188 kg                            |
| Berat Isi     | 9 kg ± 0.18 kg                  | 25 kg ± 0.50 kg                   | 35 kg ± 0.70 kg                   | 50 kg ± 0.100 kg                  | 75 kg ± 0.150 kg                  | 100 kg ± 0.200 kg                   | 150 kg ± 0.300 kg                   |
| Tinggi Total  | 590 mm                          | 990 mm                            | 1000 mm                           | 1130 mm                           | 1200 mm                           | 1285 mm                             | 1589 mm                             |
| Lebar         | 178 mm                          | 240 mm                            | 250 mm                            | 360 mm                            | 330 mm                            | 370 mm                              | 380 mm                              |
| Jarak Semprot | 3 - 9 Meter                     | 2 - 3 Meter                       |                                   |                                   |                                   |                                     |                                     |
| Fire Rating   | 27A 144B C                      | 55A IB C                          | 55A IIB C                         | 55A IIB C                         | 55A IIIB C                        | 55A IIIB C                          | 55A IVB C                           |
| Standar       | SNI 180-1:2022                  |                                   |                                   |                                   |                                   |                                     |                                     |
| Tekanan Kerja | 14 bar                          |                                   |                                   |                                   |                                   |                                     |                                     |

# ALAT PEMADAM API

## FFFP FOAM



**TNT-300FS  
3 KG**



**TNT-600FS  
6 KG**



**TNT-900FS  
9 KG**



**TNT-2500FS  
25 KG**



**TNT-5000FS  
50 KG**




**TNT-10000FS  
100 KG**

**ALAT PEMADAM API****FFFP FOAM****TNT-S300FS  
3 KG****TNT-S600FS  
6 KG**



## SPESIFIKASI PRODUK

EFEKTIF UNTUK API



| MODEL         | FFFP FOAM<br>3 KG<br>TNT-300FS   | FFFP FOAM<br>6 KG<br>TNT-600FS | FFFP FOAM<br>9 KG<br>TNT-900FS | FFFP FOAM<br>25 KG<br>TNT-2500FS |
|---------------|----------------------------------|--------------------------------|--------------------------------|----------------------------------|
| Media         | Film Forming fluoro Protein Foam |                                |                                |                                  |
| Gas Pendorong | N2                               |                                |                                |                                  |
| Berat Total   | ± 4.90 kg                        | ± 8.80 kg                      | ± 12.98 kg                     | ± 44 kg                          |
| Berat Isi     | 3 kg ± 0.15 kg                   | 6 kg ± 0.30 kg                 | 9 kg ± 0.45 kg                 | 25 kg ± 0.05 kg                  |
| Tinggi Total  | 432 mm                           | 495 mm                         | 590 mm                         | 930 mm                           |
| Lebar         | 130 mm                           | 150 mm                         | 178 mm                         | 220 mm                           |
| Jarak Semprot | 2 - 7 Meter                      |                                |                                |                                  |
| Fire Rating   | 5A 55B                           | 8A 113B                        | 13A 183B                       | 34A IB                           |
| Standar       | SNI 180-1:2022                   |                                |                                |                                  |
| Tekanan Kerja | 14 bar                           |                                |                                |                                  |

| MODEL         | FFFP FOAM<br>50 KG<br>TNT-5000FS | FFFP FOAM<br>100 KG<br>TNT-10000FS | FFFP FOAM<br>3 KG<br>TNT-S600FS | FFFP FOAM<br>6 KG<br>TNT-S900FS |
|---------------|----------------------------------|------------------------------------|---------------------------------|---------------------------------|
| Media         | Film Forming Fluoro Protein Foam |                                    |                                 |                                 |
| Gas Pendorong | N2                               |                                    |                                 |                                 |
| Berat Total   | ± 76 kg                          | ± 135 kg                           | ± 4.90 kg                       | ± 8.80 kg                       |
| Berat Isi     | 50 kg ± 0.225 kg                 | 100 kg ± 0.500 kg                  | 3 kg ± 0.15 kg                  | 6 kg ± 0.30 kg                  |
| Tinggi Total  | 300 mm                           | 1589 mm                            | 432 mm                          | 495 mm                          |
| Lebar         | 2.75 mm                          | 380 mm                             | 130 mm                          | 150 mm                          |
| Jarak Semprot | 2 - 7 Meter                      |                                    |                                 |                                 |
| Fire Rating   | 34A IIB                          | 34A IIIB                           | 5A 55B                          | 8A 113B                         |
| Standar       | SNI 180-1:2022                   |                                    |                                 |                                 |
| Tekanan Kerja | 14 bar                           |                                    |                                 |                                 |

# ALAT PEMADAM API

## WET CHEMICAL



**TNT-300WS  
3 KG**




**TNT-600WS  
6 KG**



**TNT-900WS  
9 KG**

## SPESIFIKASI PRODUK

EFEKTIF UNTUK API



| MODEL         | WET CHEMICAL<br>3 KG<br>TNT-300WS | WET CHEMICAL<br>6 KG<br>TNT-600WS | WET CHEMICAL<br>9 KG<br>TNT-900WS |
|---------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Media         | WET CHEMICAL                      |                                   |                                   |
| Gas Pendorong | N2                                |                                   |                                   |
| Berat Total   | ± 5 kg                            | ± 9 kg                            | ± 13 kg                           |
| Berat Isi     | 3 kg ± 0.15 kg                    | 6 kg ± 0.30 kg                    | 9 kg ± 0.45 kg                    |
| Tinggi Total  | 415 mm                            | 540 mm                            | 580 mm                            |
| Lebar         | 130 mm                            | 150 mm                            | 180 mm                            |
| Jarak Semprot | 2 - 7 Meter                       | 3 - 9 Meter                       | 3 - 9 Meter                       |
| Fire Rating   | 5A 5K                             | 13A 25K                           | 180 mm                            |
| Standar       | SNI 180-1:2022                    |                                   |                                   |
| Tekanan Kerja | 14 bar                            |                                   |                                   |

# ALAT PEMADAM API

CLEAN AGENT  
HFC-236fa



**TNT-100HS  
1 KG**



**TNT-300HS  
3 KG**



**TNT-600HS  
6 KG**



**TNT-900HS  
9 KG**



**TNT-2500HS  
25 KG**



**TNT-5000HS  
50 KG**

**ALAT PEMADAM API****CLEAN AGENT  
HFC-236fa****TNT-S300HS  
3 KG****TNT-S600FS  
6 KG**



## SPESIFIKASI PRODUK

EFEKTIF UNTUK API



| MODEL         | LIQUID GAS<br>1 KG<br>TNT-100HS | LIQUID GAS<br>3 KG<br>TNT-300HS | LIQUID GAS<br>6 KG<br>TNT-600HS | LIQUID GAS<br>9 KG<br>TNT-900HS |
|---------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Media         | HFC-236fa                       |                                 |                                 |                                 |
| Gas Pendorong | N2                              |                                 |                                 |                                 |
| Berat Total   | ± 1.94 kg                       | ± 4.90 kg                       | ± 8.80 kg                       | ± 12.98 kg                      |
| Berat Isi     | 1 kg ± 0.05 kg                  | 3 kg ± 0.15 kg                  | 6 kg ± 0.30 kg                  | 9 kg ± 0.45 kg                  |
| Tinggi Total  | 330 mm                          | 432 mm                          | 495 mm                          | 590 mm                          |
| Lebar         | 80 mm                           | 130 mm                          | 150 mm                          | 178 mm                          |
| Jarak Semprot | 2 - 7 Meter                     | 2 - 7 Meter                     | 3 - 9 Meter                     | 3 - 9 Meter                     |
| Fire Rating   | 5A 8B C                         | 5A 21B C                        | 21A 55B C                       | 27A 144B C                      |
| Standar       | SNI 180-1:2022                  |                                 |                                 |                                 |
| Tekanan Kerja | 14 bar                          |                                 |                                 |                                 |


| MODEL         | LIQUID GAS<br>25 KG<br>TNT-2500HS | LIQUID GAS<br>50 KG<br>TNT-5000HS | LIQUID GAS<br>3 KG<br>TNT-S300HS | LIQUID GAS<br>6 KG<br>TNT-S600S |
|---------------|-----------------------------------|-----------------------------------|----------------------------------|---------------------------------|
| Media         | HFC-236fa                         |                                   |                                  |                                 |
| Gas Pendorong | N2                                |                                   |                                  |                                 |
| Berat Total   | ± 44 kg                           | ± 76 kg                           | ± 4.90 kg                        | ± 8.80 kg                       |
| Berat Isi     | 25 kg ± 0.125 kg                  | 50 kg ± 0.225 kg                  | 3 kg ± 0.15 kg                   | 6 kg ± 0.30 kg                  |
| Tinggi Total  | 990 mm                            | 1130 mm                           | 432 mm                           | 495 mm                          |
| Lebar         | 240 mm                            | 360 mm                            | 130 mm                           | 150 mm                          |
| Jarak Semprot | 2 - 3 Meter                       | 2 - 3 Meter                       | 2 - 7 Meter                      | 3 - 9 Meter                     |
| Fire Rating   | 27A 144B C                        | 34A 183B C                        | 5A 21B C                         | 5A 34B C                        |
| Standar       | SNI 180-1:2022                    |                                   |                                  |                                 |
| Tekanan Kerja | 14 bar                            |                                   |                                  |                                 |

**ALAT PEMADAM API****KARBON  
DIOKSIDA****TNT-200KS  
2 KG****TNT-300KS  
3 KG****TNT-500KS  
5 KG****TNT-700KS  
7 KG**

**ALAT PEMADAM API****KARBON  
DIOKSIDA****TNT-900KS  
9 KG****TNT-1500KS  
15 KG****TNT-2500KS  
25 KG****TNT-4500KS  
45 KG**

## SPESIFIKASI PRODUK

EFEKTIF UNTUK API



| MODEL         | KARBON DIOKSIDA<br>2 KG<br>TNT-200KS | KARBON DIOKSIDA<br>3 KG<br>TNT-300KS | KARBON DIOKSIDA<br>5 KG<br>TNT-500KS | KARBON DIOKSIDA<br>7 KG<br>TNT-700KS |
|---------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Media         | Carbon Dioxide                       |                                      |                                      |                                      |
| Gas Pendorong | CO 2                                 |                                      |                                      |                                      |
| Berat Total   | ± 7 kg                               | ± 9.8 kg                             | ± 14.9 kg                            | ± 19 kg                              |
| Berat Isi     | 2 kg ± 0.10 kg                       | 3 kg ± 0.15 kg                       | 5 kg ± 0.25 kg                       | 7 kg ± 0.35 kg                       |
| Tinggi Total  | 500 mm                               | 680 mm                               | 680 mm                               | 840 mm                               |
| Lebar         | 110 mm                               | 110 mm                               | 150 mm                               | 150 mm                               |
| Tebal Tabung  | 4.5 mm                               | 4.5 mm                               | 5.5 mm                               | 5.5 mm                               |
| Jarak Semprot | 2 - 3 Meter                          |                                      |                                      |                                      |
| Fire Rating   | 21B C                                | 34B C                                | 34B C                                | 55B C                                |
| Standar       | SNI 180-1:2022                       |                                      |                                      |                                      |
| Tekanan Kerja | 55 bar                               |                                      |                                      |                                      |

| MODEL         | KARBON DIOKSIDA<br>9 KG<br>TNT-900KS | KARBON DIOKSIDA<br>15 KG<br>TNT-1500KS | KARBON DIOKSIDA<br>25 KG<br>TNT-2500KS | KARBON DIOKSIDA<br>45 KG<br>TNT-4500KS |
|---------------|--------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|
| Media         | Carbon Dioxide                       |                                        |                                        |                                        |
| Gas Pendorong | CO 2                                 |                                        |                                        |                                        |
| Berat Total   | ± 29.9 kg                            | ± 42 kg                                | ± 69.5 kg                              | ± 119 kg                               |
| Berat Isi     | 9 kg ± 0.45 kg                       | 15 kg ± 0.75 kg                        | 25 kg ± 0.125 kg                       | 45 kg ± 0.225 kg                       |
| Tinggi Total  | 1120 mm                              | 1160 mm                                | 1400 mm                                | 1600 mm                                |
| Lebar         | 150 mm                               | 150 mm                                 | 250 mm                                 | 250 mm                                 |
| Tebal Tabung  | 5.5 mm                               | 5.7 mm                                 | 5.7 mm                                 | 5.7 mm                                 |
| Jarak Semprot | 2 - 3 Meter                          |                                        |                                        |                                        |
| Fire Rating   | 55B C                                | 70B C                                  | 70B C                                  | 89B C                                  |
| Standar       | SNI 180-1:2022                       |                                        |                                        |                                        |
| Tekanan Kerja | 55 bar                               |                                        |                                        |                                        |

**ALAT PEMADAM API****LITHIUM  
EXTINGUISHER****TNT-M50LE  
0.5 KG****TNT-M100LE  
1 KG****TNT-03-LHK  
3 KG****TNT-06-LHK  
6 KG****TNT-09-LHK  
9 KG****TNT-25-LHK  
25 KG**

## SPESIFIKASI PRODUK

EFEKTIF UNTUK API

Baterai



| MODEL         | LITHIUM<br>0.5 KG<br>TNT-M50LE | LITHIUM<br>1 KG<br>TNT-100LE |
|---------------|--------------------------------|------------------------------|
| Media         | Lithium Extinguisher           |                              |
| Gas Pendorong | N2                             |                              |
| Berat Total   | ± 0.85 kg                      | ± 1.94 kg                    |
| Berat Isi     | 0.5 kg ± 0.025 kg              | 1 kg ± 0.05 kg               |
| Tinggi Total  | 280 mm                         | 330 mm                       |
| Lebar         | 70 mm                          | 80 mm                        |
| Jarak Semprot | 2 - 7 Meter                    | 2 - 7 Meter                  |
| Standar       | Non SNI                        |                              |
| Tekanan Kerja | 14 bar                         |                              |


| MODEL         | LITHIUM<br>3 KG<br>TNT-03-LHK | LITHIUM<br>6 KG<br>TNT-06-LHK | LITHIUM<br>9 KG<br>TNT-09-LHK | LITHIUM<br>25 KG<br>TNT-25-LHK |
|---------------|-------------------------------|-------------------------------|-------------------------------|--------------------------------|
| Media         | Lithium Extinguisher          |                               |                               |                                |
| Gas Pendorong | N2                            |                               |                               |                                |
| Berat Total   | ± 4.90 kg                     | ± 8.80 kg                     | ± 12.98 kg                    | ± 44 kg                        |
| Berat Isi     | 3 kg ± 0.15 kg                | 6 kg ± 0.30 kg                | 9 kg ± 0.45 kg                | 25 kg ± 0.125 kg               |
| Tinggi Total  | 432 mm                        | 495 mm                        | 590 mm                        | 990 mm                         |
| Lebar         | 130 mm                        | 150 mm                        | 178 mm                        | 240 mm                         |
| Jarak Semprot | 2 - 7 Meter                   | 3 - 9 Meter                   | 3 - 9 Meter                   | 2 - 3 Meter                    |
| Standar       | Non SNI                       |                               |                               |                                |
| Tekanan Kerja | 14 bar                        |                               |                               |                                |



**ALAT PEMADAM API****POWDER D-CLASS****TNT-03D  
3 KG****TNT-06D  
6 KG****TNT-09D  
9 KG**

## SPESIFIKASI PRODUK

EFEKTIF UNTUK API



| MODEL         | POWDER<br>3 KG<br>TNT-03D | POWDER<br>6 KG<br>TNT-06D | POWDER<br>9 KG<br>TNT-09D |
|---------------|---------------------------|---------------------------|---------------------------|
| Media         | D-Class Powder            |                           |                           |
| Gas Pendorong | N2                        |                           |                           |
| Berat Total   | ± 4 kg                    | ± 7.8 kg                  | ± 11.7 kg                 |
| Berat Isi     | 3 kg ± 0.05 kg            | 6 kg ± 0.05 kg            | 9 kg ± 0.05 kg            |
| Tinggi Total  | 430 mm                    | 540 mm                    | 570 mm                    |
| Lebar         | 130 mm                    | 150 mm                    | 180 mm                    |
| Jarak Semprot | 2 - 7 Meter               | 3 - 9 Meter               | 3 - 9 Meter               |
| Standar       | Non SNI                   |                           |                           |
| Tekanan Kerja | 14 bar                    |                           |                           |

**ALAT PEMADAM API****OTOMATIS**

Dua Pilihan Jenis: ABC Powder Eco Liquid Gas



TNT-ATMC3P/TNT-ATMC3HLG  
**3 KG**



TNT-ATMC4P/TNT-ATMC4HLG  
**4 KG**



TNT-ATMC5P/TNT-ATMC5HLG  
**5 KG**



TNT-ATMC6P/TNT-ATMC6HLG  
**6 KG**



TNT-ATMC10P/TNT-ATMC10HLG  
**10 KG**




TNT-ATMC12P/TNT-ATMC12HLG  
**12 KG**



TNT-FBL13  
**FIRE BALL AFO**

## SPESIFIKASI PRODUK

EFEKTIF UNTUK API



| MODEL            | THERMATIC POWDER<br>3 KG<br>TNT-ATMC3P | THERMATIC POWDER<br>4 KG<br>TNT-ATMC4P | THERMATIC POWDER<br>5 KG<br>TNT-ATMC5P | THERMATIC POWDER<br>6 KG<br>TNT-ATMC6P | THERMATIC POWDER<br>10 KG<br>TNT-ATMC10P | THERMATIC POWDER<br>12 KG<br>TNT-ATMC12P | Fire Ball<br>AFO                                                                                                                                                                                                                      |
|------------------|----------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------|------------------------------------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Media            | Dry Powder                             |                                        |                                        |                                        |                                          |                                          | <ul style="list-style-type: none"><li>• Berat : 1,3 kg</li><li>• Diameter : 15 cm</li><li>• Isi : Eco Friendly ABC Powder</li><li>• Area efektif : 3 meter kubik</li><li>• Klasifikasi Pemadaman : Kelas A, B, C, E &amp; F</li></ul> |
| Gas Pendorong    | N2                                     |                                        |                                        |                                        |                                          |                                          |                                                                                                                                                                                                                                       |
| Berat Total      | 4.85 kg                                | 5.8 kg                                 | 7.2 kg                                 | 8.3 kg                                 | 13.5 kg                                  | 15.5 kg                                  |                                                                                                                                                                                                                                       |
| Berat Isi        | 3kg ± 0.05kg                           | 4kg ± 0.05kg                           | 5kg ± 0.05kg                           | 6kg ± 0.05kg                           | 10kg ± 0.05kg                            | 12kg ± 0.05kg                            |                                                                                                                                                                                                                                       |
| Tinggi Total     | 270 mm                                 | 270 mm                                 | 300 mm                                 | 300 mm                                 | 400 mm                                   | 400 mm                                   |                                                                                                                                                                                                                                       |
| Lebar            | 250 mm                                 | 250 mm                                 | 270 mm                                 | 270 mm                                 | 300 mm                                   | 300 mm                                   |                                                                                                                                                                                                                                       |
| Ketebalan Tabung | 1.63 mm                                | 1.63 mm                                | 1.63 mm                                | 1.63 mm                                | 1.63 mm                                  | 1.63 mm                                  |                                                                                                                                                                                                                                       |
| Tekanan Kerja    | Max. 16 bar                            |                                        |                                        |                                        |                                          |                                          |                                                                                                                                                                                                                                       |

| MODEL            | THERMATIC LIQUID GAS<br>3 KG<br>TNT-ATMC3HLG | THERMATIC LIQUID GAS<br>4 KG<br>TNT-ATMC4HLG | THERMATIC LIQUID GAS<br>5 KG<br>TNT-ATMC5HLG | THERMATIC LIQUID GAS<br>6 KG<br>TNT-ATMC6HLG | THERMATIC LIQUID GAS<br>10 KG<br>TNT-ATMC10HLG | THERMATIC LIQUID GAS<br>12 KG<br>TNT-ATMC12HLG |
|------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|------------------------------------------------|------------------------------------------------|
| Media            | Clean Agent Liquid Gas (TNT-AF11)            |                                              |                                              |                                              |                                                |                                                |
| Gas Pendorong    | N2                                           |                                              |                                              |                                              |                                                |                                                |
| Berat Total      | 3.6 kg                                       | 5.6 kg                                       | 7.2 kg                                       | 8 kg                                         | 13.5 kg                                        | 15.5 kg                                        |
| Berat Isi        | 3kg ± 0.05kg                                 | 4kg ± 0.05kg                                 | 5kg ± 0.05kg                                 | 6kg ± 0.05kg                                 | 10kg ± 0.05kg                                  | 12kg ± 0.05kg                                  |
| Tinggi Total     | 270 mm                                       | 270 mm                                       | 300 mm                                       | 300 mm                                       | 400 mm                                         | 400 mm                                         |
| Lebar            | 250 mm                                       | 250 mm                                       | 270 mm                                       | 270 mm                                       | 300 mm                                         | 300 mm                                         |
| Ketebalan Tabung | 1.63 mm                                      | 1.63 mm                                      | 1.63 mm                                      | 1.63 mm                                      | 1.63 mm                                        | 1.63 mm                                        |
| Tekanan Kerja    | Max. 16 bar                                  |                                              |                                              |                                              |                                                |                                                |

# SELIMUT API



**TNT-FB01-S**  
**1 x 1 m**



**TNT-FB02-S**  
**1,2 x 1,2 m**



**TNT-FB03-S**  
**1,2 x 1,8 m**



**TNT-FB04-S**  
**1,8 x 1,8 m**



**TNT-FB05-H**  
**1 x 1 m Hardcase**



**TNT-FB06-H**  
**1,2 x 1,2 m Hardcase**



**TNT-FB07-H**  
**1,2 x 1,8 m Hardcase**



**TNT-FB08-H**  
**1,8 x 1,8 m Hardcase**



**TNT-FBE-01**  
**FIRE BLANKET ROLL**  
**1 x 1 m**



**TNT-FBR-50**  
**FIRE BLANKET ROLL**  
**1 x 50 m**



**TNT-FBA010**  
**CAR FIRE BLANKET**  
**HARDCASE**



**TNT-CFB-09**  
**CAR FIRE BLANKET**  
**SOFTCASE**

Tersedia Ukuran Khusus Mobil & Welding Fire Blanket (untuk Industri)

## SPEKIFIKASI PRODUK

| Model          | FIRE BLANKET<br>SOFT CASE<br>1 X 1 M<br>TNT-FBA01-S | FIRE BLANKET<br>SOFT CASE<br>1.2 X 1.2 M<br>TNT-FBA02-S | FIRE BLANKET<br>SOFT CASE<br>1.2 X 1.8 M<br>TNT-FBA03-S | FIRE BLANKET<br>SOFT CASE<br>1.8 X 1.8 M<br>TNT-FBA04-S | AFO<br>Fireball<br>TNT-FBL13                            |
|----------------|-----------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|
| Material       | 100% Glass Fabric                                   |                                                         |                                                         |                                                         | Diameter : 15 cm                                        |
| Ukuran Blanket | 100 cm x 100 cm                                     | 120 cm x 120 cm                                         | 120 cm x 180 cm                                         | 180 cm x 180 cm                                         | Area efektif :<br>3 meter kubik                         |
| Tebal Blanket  | 0.43 mm                                             |                                                         |                                                         |                                                         | Isi : Eco Friendly<br>ABC Powder                        |
| Berat Produk   | 1.150 gram                                          | 2.100 gram                                              | 3.000 gram                                              | 4.000 gram                                              | Berat : 1.3 Kg                                          |
| Ukuran Package | 29 x 16 x 4 cm                                      | 29 x 16 x 4 cm                                          | 35 x 16 x 4 cm                                          | 42 x 16 x 4 cm                                          | Klasifikasi<br>Pemadaman :<br>Kelas A, B, C, E<br>dan F |

| Model          | FIRE BLANKET<br>HARD CASE<br>1 X 1 M<br>TNT-FBA05-H | FIRE BLANKET<br>HARDCASE<br>1.2 X 1.2 M<br>TNT-FBA06-H | FIRE BLANKET<br>HARD CASE<br>1.2 X 1.8 M<br>TNT-FBA07-H | FIRE BLANKET<br>HARD CASE<br>1.8 X 1.8 M<br>TNT-FBA08-H |
|----------------|-----------------------------------------------------|--------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|
| Material       | 100% Glass Fabric                                   |                                                        |                                                         |                                                         |
| Ukuran Blanket | 100 cm x 100 cm                                     | 120 cm x 120 cm                                        | 120 cm x 180 cm                                         | 180 cm x 180 cm                                         |
| Tebal Blanket  | 0.43 mm                                             |                                                        |                                                         |                                                         |
| Berat Produk   | 1.150 gram                                          | 2.100 gram                                             | 3.000 gram                                              | 4.000 gram                                              |
| Ukuran Package | 29 x 16 x 4 cm                                      | 29 x 16 x 4 cm                                         | 35 x 16 x 4 cm                                          | 42 x 16 x 4 cm                                          |

# AKSESORIS APAR



**TNT-AP-R01  
DUDUKAN APAR**



**AKS-100001  
ALAS APAR 3-4 KG**



**AKS-100002  
ALAS APAR 5 KG**



**TNT-AP-R02  
DUDUKAN APAR**



**AKS-100003  
ALAS APAR 6 KG**



**AKS-100004  
ALAS APAR 9-12 KG**



**AKS-100022  
PRESSURE GAUGE**



**TNT-CAPT01 - TNT-CAPT05  
COVER APAR**



**TNT-CAPT06  
COVER APAB**



## SPEKIFIKASI PRODUK

| Produk   | ALAS APAR<br>3-4 KG<br>AKS-100001 | ALAS APAR<br>5 KG<br>AKS-100002 | ALAS APAR<br>6 KG<br>AKS-100003 | ALAS APAR<br>9-12 KG<br>AKS-100004 |
|----------|-----------------------------------|---------------------------------|---------------------------------|------------------------------------|
| Material | Plastik PE                        |                                 |                                 |                                    |
| Diameter | 13 cm                             | 15 cm                           | 16 cm                           | 18 cm                              |
| Berat    | 500 gram                          |                                 |                                 |                                    |
|          | Untuk APAR<br>ukuran 3-4 KG       | Untuk APAR<br>ukuran 5 KG       | Untuk APAR<br>ukuran 6 KG       | Untuk APAR<br>ukuran 9-12 KG       |

| Produk           | DUDUKAN<br>APAR<br>TNT-AP-R01                                                                                                                     | PRESSURE<br>GAUGE<br>AKS-100022 | COVER<br>APAR<br>TNT-CA01 - TNT-CA05                                   | COVER<br>APAB<br>TNT-CA06                |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|------------------------------------------------------------------------|------------------------------------------|
| Detail<br>Produk | Material: Besi dan<br>Karet di bagian<br>alas kaki rak                                                                                            | Material :<br>Stainless steel   | Material :<br>Vinyl dan Plastik                                        | Material :<br>Vinyl dan Plastik          |
|                  | Finishing :<br>Powder coated                                                                                                                      | Berat : <100 gram               | Berat : 250 gram                                                       | Berat : 900 gram                         |
|                  | Dimensi : 100 x<br>30 x 30 cm                                                                                                                     | Diameter : 3 cm                 |                                                                        | Ukuran :<br>100 x 70 cm                  |
|                  | <ul style="list-style-type: none"> <li>Tambahan Aksesoris Rambu APAR Akrilik</li> <li>Direkomendasikan untuk tempat APAR sampai 12 kg.</li> </ul> | Satuan : Bar                    | Tersedia untuk ukuran :<br>APAR 1-9 Kg<br>(Menyesuaikan ukuran tabung) | Tersedia untuk ukuran : APAB<br>25-75 Kg |

# AKSESORIS APAR



**GANTUNGAN  
APAR**



**GANTUNGAN  
APAR CO2 (2-7KG)**



**BRACKET  
APAR (1-2KG)**



**BRACKET  
APAR (3-4KG)**



**BRACKET  
APAR (5-6KG)**



**BRACKET  
APAR (9KG)**



**VALVE  
TABUNG (1-12KG)**



**VALVE  
APAR CO2**



**VALVE  
APAR CE (3-12 KG)**



**VALVE  
APAB 25KG**



**RAMBU  
AKRILIK APAR**

## AKSESORIS APAR




**SELANG APAR  
CO2 (25 KG)**



**SELANG APAR  
POWDER  
(25-50 & 75-150 kg)**



**SELANG APAR  
POWDER & FOAM  
(2-9 kg)**



**KARTU CEK  
APAR**



**SELANG APAR  
NOZZLE CO2 (2-3 kg)**



**SELANG APAR  
NOZZLE CO2 (5-9 kg)**



**SAFETY PIN  
BAND**



**SEAL APAR**



**BELT APAR**

# BOX APAR & HYDRANT



TNT-UMC-TK/DK  
**HYDRANT BOX**  
OUTDOOR 66X95X20



TNT-CBO27KG  
**BOX APAR CO2**  
2-7 KG



TNT-BA335P | TNT-BA455P |  
TNT-BA600P | TNT-BA900P  
**BOX APAR**  
POWDER 3-9 KG




TNT-TBFA12 & TNT-TBFA24  
**JUNCTION BOX**  
12 & 24 PAIRS



TNT-BOXRKN3KG  
**BOX APAR RUKAN**  
2 X 3-4 KG



TNT-BOXRKN6KG  
**BOX APAR RUKAN**  
2 X 5-6 KG



TNT-LCB01  
**LOCAL**  
**COMBINATION BOX**



TNT-RKN-1  
**BOX APAR RUKAN**  
1 X 3-4 KG



TNT-UMA1-T/K  
**HYDRANT BOX**  
INDOOR 52X66X15



TNT-UMA2-T/K  
**HYDRANT BOX**  
INDOOR 80X100X18



TNT-UMB-TK/DK  
**HYDRANT BOX**  
INDOOR 75X125X18

## SPEKIFIKASI PRODUK

| Produk     | HYDRANT BOX<br>OUTDOOR<br>TNT-UMC/TNT-UMCK | HYDRANT BOX<br>INDOOR<br>TNT-UMA1/TNT-UMA1K | HYDRANT BOX<br>INDOOR<br>TNT-UMB/TNT-UMBK | HYDRANT BOX<br>INDOOR<br>TNT-UMA2/TNT-UMA2K |
|------------|--------------------------------------------|---------------------------------------------|-------------------------------------------|---------------------------------------------|
| Material   | Plastik PE Mild Steel Plate                |                                             |                                           |                                             |
| Warna      | Red Powder Coated                          |                                             |                                           |                                             |
| Ukuran     | 66 (W) x 95 (H) x 20 (D)                   | 52 (W) x 66 (H) x 15 (D)                    | 75 (W) x 125 (H) x 18 (D)                 | 80(W) x 100 (H) x 18 (D)                    |
| Penggunaan | Luar Ruangan                               | Dalam Ruangan                               |                                           |                                             |
|            | Tersedia Varian Dengan atau Tanpa Kaca     |                                             |                                           |                                             |

| Produk   | BOX APAR<br>POWDER<br>TNT-BA35P/5P-9P                                                                                                                | BOX APAR<br>KARBON<br>DIOKSIDA<br>TNT-BCO22/27                                                                                                        | BOX APAR<br>RUKAN<br>TNT-RKN-1                                                                                                                 | BOX APAR<br>RUKAN<br>TNT-BOXRKN3KG                                                                                             | BOX APAR<br>RUKAN<br>TNT-KRN6KG                                                                                                  | JUNCTION<br>BOX<br>TNT-TBFA12/24                                                                                                                    | LOCAL<br>COMBINATION<br>BOX<br>TNT-LCB01                            |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| Material | Mild Steel Plate                                                                                                                                     |                                                                                                                                                       |                                                                                                                                                |                                                                                                                                |                                                                                                                                  |                                                                                                                                                     |                                                                     |
| Warna    | Red Powder Coated                                                                                                                                    |                                                                                                                                                       |                                                                                                                                                |                                                                                                                                |                                                                                                                                  |                                                                                                                                                     |                                                                     |
| Ukuran   | <ul style="list-style-type: none"> <li>• 30 x 55 x 20 cm</li> <li>• 30 x 60 x 20 cm</li> <li>• 35 x 65 x 20 cm</li> <li>• 35 x 70 x 22 cm</li> </ul> | <ul style="list-style-type: none"> <li>• 30 x 55 x 20 cm</li> <li>• 30 x 80 x 20 cm</li> <li>• 22 x 80 x 45 cm</li> <li>• 22 x 100 x 45 cm</li> </ul> | <ul style="list-style-type: none"> <li>• 53 x 20 x 20 cm</li> <li>• Dilengkapi dengan 3 Handle depan dan samping, Bisa dibuka tutup</li> </ul> | <ul style="list-style-type: none"> <li>• 31 x 20 x 65 cm</li> <li>• Dilengkapi dengan 2 engsel pintu depan dan atas</li> </ul> | <ul style="list-style-type: none"> <li>• 36 x 20 x 67,5 cm</li> <li>• Dilengkapi dengan 2 engsel pintu depan dan atas</li> </ul> | <ul style="list-style-type: none"> <li>• 30 x 20 x 10 cm</li> <li>• Tebal plat: 1 mm</li> <li>• Dilengkapi dengan panel 12 atau 24 pairs</li> </ul> | <ul style="list-style-type: none"> <li>• 50 x 10 x 25 cm</li> </ul> |

# TRAFFIC CONE & AKSESORIS



± 80 cm



75 cm



± 115 cm



110 cm

TNT-SCTT01/TNT-SCTT02/03/TNT-SC02/TNT-SC01  
**STICK CONE**



HITAM & KUNING



MERAH & PUTIH

TNT-SB2-BY / TNT-SB2-RW  
**CONE BELT**



TNT-SCB01/TNT-SCB02  
**CONE POLE**



TNT-CH/B/K/M/P  
**RANTAI PLASTIK**  
6/8/10 mm




TNT-SCR  
**SCOTLIGHT REFLECTOR**  
TRAFFIC CONE

## TRAFFIC CONE & AKSESORIS



TNT-CCRM01  
**CONE CHAIN RING  
CONNECTOR**



TNT-WBS200  
**ROAD BARRIER STEEL**



## SPEKIFIKASI PRODUK

| Produk        | STICK CONE<br>TNT-SCTT01                                                                                                                                                                                           | STICK CONE<br>TNT-SCTT02/03                                                                                                                                                                  | STICK CONE<br>TNT-SC02                                                                                                                                                                                                                                                              | STICK CONE<br>TNT-SC01                                                                                                                                                                                                 | CONE BELT<br>TNT-SB2-BY/TNT-SB2-RW                                                                                                                                                                                        |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Tinggi: 78 cm / <math>\pm</math> 80 cm</li> <li>Berat: 2.3 kg</li> <li>Lebar base: 25 cm</li> <li>Lebar bollard: (tiang): 9 cm</li> <li>Scotlight tape terpasang</li> </ul> | <ul style="list-style-type: none"> <li>Tinggi: 75 cm</li> <li>Berat: 1.14 kg</li> <li>Lebar base: 20 cm</li> <li>Lebar bollard: (tiang): 7.8 cm</li> <li>Scotlight tape terpasang</li> </ul> | <ul style="list-style-type: none"> <li>Tinggi: <math>\pm</math> 110 cm</li> <li>Berat sebelum diisi air: 30,54 kg</li> <li>Berat setelah diisi air: 34 kg</li> <li>Lebar base: <math>\pm</math>30 cm</li> <li>Lebar tiang: 34 cm</li> <li>Lebar chain connector: 37,5 cm</li> </ul> | <ul style="list-style-type: none"> <li>Tinggi: <math>\pm</math> 115 cm</li> <li>Berat: 36.3 kg</li> <li>Lebar base: 48 cm</li> <li>Lebar bollard: (tiang): 39 cm</li> <li>Reflective Tape: White and Yellow</li> </ul> | <ul style="list-style-type: none"> <li>Material: Plastik &amp; Kain anti sobek</li> <li>Panjang pita: Sampai dengan 2 Meter (Retracable)</li> <li>Tersedia dengan Varian Warna: Hitam Kuning &amp; Merah Putih</li> </ul> |

| Produk        | RANTAI PLASTIK<br>TNT-CCH                                                                                                                                                                                | SCOTLIGHT REFLECTOR TRAFFIC CONE<br>TNT-SCR                         | CONE CHAIN RING CONNECTOR<br>TNT-CCRM01                                                  | ROAD BARRIER STEEL<br>TNT-WBS200                                                                                                                | CONE POLE<br>TNT-SCB01/TNT-SCB02                                                                                                                                 |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Panjang: 1/25/50 meter</li> <li>Tebal: 6/8/10 mm</li> <li>Warna: Kuning/ Merah/Putih/ Hitam/Hijau/Biru</li> <li>Material: plastik keras / hard plastic</li> </ul> | <ul style="list-style-type: none"> <li>Panjang: 70/75 cm</li> </ul> | <ul style="list-style-type: none"> <li>Diameter 10 cm</li> <li>Bahan: Plastik</li> </ul> | <ul style="list-style-type: none"> <li>Panjang: 200 cm</li> <li>Lebar: 45 cm</li> <li>Tinggi: 120 cm</li> <li>Diameter pipa: 1,5 inc</li> </ul> | <ul style="list-style-type: none"> <li>Bahan: Plastik ABS</li> <li>Bahan Penyangga: Plastik Elastis</li> <li>Retracable (bisa ditarik sampai 2 meter)</li> </ul> |

## SAFETY TRAFFIC CONE



TNT-C0105  
**SAFETY TRAFFIC CONE**  
1 KG - 45 CM



TNT-C1803  
**SAFETY TRAFFIC CONE**  
1.7 KG - 75 CM



TNT-C1802  
**SAFETY TRAFFIC CONE**  
1.8 KG - 70 CM



TNT-C1801  
**SAFETY TRAFFIC CONE**  
1.8 KG - 70 CM



TNT-C2403  
**SAFETY TRAFFIC CONE**  
2.4 KG - 75 CM



TNT-C2402  
**SAFETY TRAFFIC CONE**  
2.4 KG - 75 CM

## SAFETY TRAFFIC CONE



**TNT-C0726**  
**SAFETY TRAFFIC CONE**  
1.3 KG 65 CM



**TNT-C3204**  
**SAFETY TRAFFIC CONE**  
3.2 KG 90 CM



**TNT-C4305**  
**SAFETY TRAFFIC CONE**  
4.3 KG 90 CM

## SAFETY TRAFFIC CONE FOLD TYPE



**TNT-FC45**  
**SAFETY TRAFFIC CONE**  
**FOLD TYPE 45 CM**



**TNT-FC70**  
**SAFETY TRAFFIC CONE**  
**FOLD TYPE 70 CM**

## CONVEX MIRROR & AKSESORIS



TNT-CMI45/60/80/100/120  
**CONVEX MIRROR  
INDOOR**  
4560/80/100/120 cm



TNT-CMO45/60/80/100/120  
**CONVEX MIRROR  
OUTDOOR**  
4560/80/100/120 cm



TNT-BCI727/TNT-BCI728  
**BRACKET CONVEX  
MIRROR INDOOR**  
45 CM - 100 CM



**SILVER - 2M**  
TNT-100277/TNT-100287



**SILVER - 3M**  
TNT-100505/TNT-100429



**ORANYE - 3M**  
TNT-100520/TNT-100519

### TIANG GALVANIS MULTIFUNGSI

## SPESIFIKASI CONVEX MIRROR

- Material bag. depan : Polycarbonat (Bukan kaca)
- Material bag. belakang : PVC / Plastik
- Ukuran diameter menyesuaikan ukuran convex yang tertera di nama produk
- Pembelian convex mirror sudah termasuk bracket dan baut sesuai kebutuhan

## FIRE SYSTEM CONVENTIONAL & AKSESORIS



**TNT-WT33LR/TNT-WT32L  
CONVENTIONAL SMOKE  
DETECTOR 2 WIRE / 3 WIRE**



**Fixed Temp**



**ROR**

**TNT-WS26L/TNT-WK200L  
FIRE ALARM CONVENTIONAL**



**TNT-FL1  
FIRE INDICATING  
LAMP**



**TNT-SHD-TY  
SMOKE HEAT  
DETECTOR**



**TNT-FB06  
FIRE ALARM BELL**



**TNT-FSR01  
FIRE ALARM  
HORN STROBE**



**TNT-RL1  
REMOTE  
INDICATING LAMP**

**FIRE SYSTEM CONVENTIONAL & AKSESORIS**

**TNT-CH82-B  
CONVENTIONAL HEAD  
DETECTOR**



**TNT-CS81-B  
CONVENTIONAL SMOKE DETECTOR  
PHOTOELECTRIC**



**TNT-CUV04W  
CONVENTIONAL UV FLAME  
DETECTOR**



**TNT-CSH8-B  
CONVENTIONAL SMOKE & HEAD  
DETECTOR**



**TNT-CFL2166  
CONVENTIONAL FLASH LIGHT**

## SPEKIFIKASI PRODUK

| Produk               | MANUAL PUSH BUTTON<br>TNT-FP3                                                                                                                                                                                                                                                                                                                                         | CONVENTIONAL SMOKE DETECTOR<br>TNT-WT33LR                                                                                                                                                                                                                                               | FIRE ALARM CONVENTIONAL HEAT DETECTOR<br>FIXED TEMP<br>TNT-WK200L                                                                                                                                                                                                                                                                                                                                                                                           | FIRE ALARM CONVENTIONAL HEAT DETECTOR<br>ROR<br>TNT-WS26L                                                                                                                                                                                                                                                                                                                                                                                                   | FIRE INDICATING LAMP<br>TNT-FL1                                                                                                                                                                                                                                        |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>Model : TNT-FP3</li> <li>Voltage Range : 24V DC</li> <li>Alarm Current: 30 mA</li> <li>Contact Rating : 24V DC 100mA</li> <li>Sub-Function : Phone jack, Confirmation LED, Reset button</li> <li>Material : Fire-Proof plastics</li> <li>Dimensions diameter : 140 (mm)</li> <li>Weight : 150g</li> <li>Color : Red</li> </ul> | <ul style="list-style-type: none"> <li>Model: TNT-WT33LR</li> <li>Working Voltage : 24V DC</li> <li>Standby Current : 60uA Below</li> <li>Alarm Current : 30mA</li> <li>Ambient Temp. : -10 dC ~ +55 dC</li> <li>Alarm Light : RED LED</li> <li>Monitoring Light : GREEN LED</li> </ul> | <ul style="list-style-type: none"> <li>Model : TNT-WS26L</li> <li>Type : 2 Wire</li> <li>Voltage Range : 12-30V DC</li> <li>Alarm Current : 24V DC 30mA</li> <li>Polarization : Non-polarized</li> <li>Alarm Temp. : Comply to EN54, CNS</li> <li>Ambient Temp. : -10C~+55C</li> <li>Ambient Humidity : 0~95%</li> <li>Material : Fire-proof Plastics</li> <li>Dimensions : 100 (Dia.) x 42 (H) mm</li> <li>Weight : 120g</li> <li>Color : White</li> </ul> | <ul style="list-style-type: none"> <li>Model : TNT-WS26L</li> <li>Type : 2 Wire</li> <li>Voltage Range : 12-30V DC</li> <li>Alarm Current : 24V DC 30mA</li> <li>Polarization : Non-polarized</li> <li>Alarm Temp. : Comply to EN54, CNS</li> <li>Ambient Temp. : -10C~+55C</li> <li>Ambient Humidity : 0~95%</li> <li>Material : Fire-proof Plastics</li> <li>Dimensions : 100 (Dia.) x 42 (H) mm</li> <li>Weight : 120g</li> <li>Color : White</li> </ul> | <ul style="list-style-type: none"> <li>Model : TNT-FL1</li> <li>Voltage Range: DC 24 V</li> <li>Alarm Current: 12 mA</li> <li>Ambient Temperature: -10°C ~ +55°C</li> <li>Material: Fire Proof Plastics</li> <li>Dimensions: 92 x 58 mm</li> <li>Color: Red</li> </ul> |

| Produk               | SMOKE HEAT DETECTOR<br>TNT-SHD-TY                                                                                                                                                                                                             | FIRE ALARM BELL<br>TNT-FB06                                                                                                                                                                                                                                                                                             | FIRE ALARM HORN STROBE<br>TNT-FSR01                                                                                                                                                                                                                                                                                                                                                     | REMOTE INDICATING LAMP<br>TNT-RL1                                                                                                                                                                   |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>Diameter : 110mm</li> <li>Tebal : 55mm</li> <li>Suara : 85 Db</li> <li>Phiser &amp; Baut : 2 Pcs</li> <li>Baterai 1.5 V : 2 Pcs</li> <li>Manual Book : 1 Pcs</li> <li>Detector Unit : 1 Pcs</li> </ul> | <ul style="list-style-type: none"> <li>Model No. : TNT-FB06</li> <li>Power Source : 24V DC</li> <li>Alarm Current : 35mA</li> <li>Movement : Motor</li> <li>Material : 3.0 Alloy Alu</li> <li>Dimensions : 6" (150mm)</li> <li>Weight : 418g</li> <li>Sound Output : 90 dB/ M and above</li> <li>Color : Red</li> </ul> | <ul style="list-style-type: none"> <li>Model : TNT-FSR01</li> <li>Operating Voltage Zone : 24V</li> <li>Operating Current : 60mA</li> <li>Alarm : SPL 85dB (3 Options)</li> <li>Flash Period : 1 Time/Sec</li> <li>Environmental Temperature : -5 to 40°C (23-104°F)</li> <li>Humidity : 5 to 95% RH, non-condensing</li> <li>Protection : IP30</li> <li>Materials : ABS Red</li> </ul> | <ul style="list-style-type: none"> <li>Model : TNT-RL1</li> <li>Alarm Current : 24V DC 12mA</li> <li>Ambient Temp. : 12 mA</li> <li>Dimension (mm) : 85 x 85 x 23</li> <li>Color : White</li> </ul> |



## SPESIFIKASI PRODUK

| Produk                   | CONVENTIONAL<br>HEAT DETECTOR<br>TNT-CH82-B                                                                                                                                            | CONVENTIONAL<br>SMOKE DETECTOR<br>TNT-CS81-B                                                                                                                                                   | CONVENTIONAL<br>SMOKE & HEAT<br>DETECTOR<br>TNT-CSH8-B                                                                                                                                                                                       | CONVENTIONAL<br>UV FLAME<br>TNT-CUV04W                                                                                                                                         | WIRELESS ALARM<br>CONTROL PANEL<br>TNT-AWM202                                                                                                                                                                                                                                                        |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail<br/>Produk</b> | <ul style="list-style-type: none"> <li>• Model: TNT-CH82-B</li> <li>• Warna: Putih</li> <li>• Fix temperature:<br/>57°C A2R</li> <li>• Rate of rise alarm:<br/>7.1°C/5S A2R</li> </ul> | <ul style="list-style-type: none"> <li>• Model: TNT-CS81-B</li> <li>• Warna: Putih</li> <li>• Operating Voltage :<br/>9 to 28VDC</li> <li>• Smoke Sensitivity :<br/>0.08 - 0.11dB/m</li> </ul> | <ul style="list-style-type: none"> <li>• Model : TNT-CSH8-B</li> <li>• Warna : Putih</li> <li>• Rate Input Voltage :<br/>9 - 28Vd.c</li> <li>• Max. Input Current :<br/>20mA</li> <li>• Alarm current :</li> <li>• Category : A2R</li> </ul> | <ul style="list-style-type: none"> <li>• Model : TNT-CUV04W</li> <li>• Work Voltage :<br/>12-28V DC</li> <li>• Spectrum :<br/>185-260nm</li> <li>• Alarm SPL : 86dB</li> </ul> | <ul style="list-style-type: none"> <li>• Model : TNT-CFL2166</li> <li>• Material :<br/>burning-proof plastic</li> <li>• Colour : Red</li> <li>• SN : CFL2166FL04</li> <li>• Rated Current :<br/>DC24V / 60 mA</li> <li>• Flash period :</li> <li>• Work Method :<br/>Break glass alarming</li> </ul> |

**FIRE SYSTEM ADDRESSABLE & AKSESORIS**

**TNT-RD-01  
ADDRESSABLE SMOKE  
DETECTOR PHOTOELECTRIC**



**TNT-RD-03  
ADDRESSABLE HEAT  
DETECTOR**



**TNT-CRM001  
ADDRESSABLE I/O  
MODULE**



**TNT-CRM002  
ADDRESSABLE  
ISOLATOR MODULE**



**TNT-RI-01B  
ADDRESSABLE FIRE ALARM  
MODULE**

## SPEKIFIKASI PRODUK

| Produk               | ADDRESSABLE SMOKE DETECTOR PHOTOELECTRIC<br>TNT-RD-01                                                                                                                                                                                                                            | ADDRESSABLE HEAT DETECTOR<br>TNT-RD-03                                                                                                                                                                                                                                           | ADDRESSABLE I/O MODULE<br>TNT-CRM001                                                                                                                                                                    | ADDRESSABLE ISOLATOR MODULE<br>TNT-CRM002                                                                                                                                                          | ADDRESSABLE FIRE ALARM MODULE<br>TNT-RI-01B                                                                                            |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>• Model: TNT-RD-01</li> <li>• Material: burning-proof plastic</li> <li>• Dimensi: 150 x 55 mm</li> <li>• Alarming temperature: 55 derajat celcius</li> <li>• Monitoring: Green LED blinking</li> <li>• Alarm: Red LED blinking</li> </ul> | <ul style="list-style-type: none"> <li>• Model: TNT-RD-01</li> <li>• Material: burning-proof plastic</li> <li>• Dimensi: 150 x 55 mm</li> <li>• Alarming temperature: 55 derajat celcius</li> <li>• Monitoring: Green LED blinking</li> <li>• Alarm: Red LED blinking</li> </ul> | <ul style="list-style-type: none"> <li>• Model: TNT-CRM001</li> <li>• Warna: Putih</li> <li>• Protection Level: Ip30</li> <li>• AUX Output: ≤200mA</li> <li>• Routing: 200mA @30VDC / ≤200mA</li> </ul> | <ul style="list-style-type: none"> <li>• Model: TNT-CRM002</li> <li>• Colour: White</li> <li>• Work Voltage: 16 - 28VDC</li> <li>• Standby Current: IC MAX: 3A</li> <li>• ZC MAX: 0.15Ω</li> </ul> | <ul style="list-style-type: none"> <li>• Model : CM-RI-01B</li> <li>• Voltage : DC24V</li> <li>• Dimensi : 3,5 x 3,5 x 8 cm</li> </ul> |

# WIRELESS FIRE SYSTEM



TNT-WS1102  
WIRELESS SMOKE DETECTOR TONATA



TNT-WH1101  
WIRELESS HEAD DETECTOR TONATA



TNT-WB1103  
WIRELESS GAS DETECTOR TONATA



TNT-AWM202  
WIRELESS ALARM CONTROL PANEL



TNT-WM1104  
WIRELESS MANUAL PUSH BUTTON

## SPEKSIKASI PRODUK

| Produk        | WIRELESS SMOKE DETECTOR TONATA<br>TNT-WS1102                                                                                                                     | WIRELESS HEAT DETECTOR TONATA<br>TNT-WH1101                                                                                                                                                                                 | WIRELESS GAS DETECTOR TONATA<br>TNT-WB1103                                                                                                                                                | WIRELESS MANUAL PUSH BUTTON<br>TNT-WM1104                                                                                                                                                                          | WIRELESS ALARM CONTROL PANEL<br>TNT-AWM202                                                                                                                                                                          |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Model: TNT-WS1102</li> <li>Warna: Putih</li> <li>Frekuensi Radio: 433MHz (418-448MHz)</li> <li>Tegangan: DC 3V</li> </ul> | <ul style="list-style-type: none"> <li>Model: TNT-WH1101</li> <li>Warna: Putih</li> <li>Baterai: CR17450 / Cr17455</li> <li>Tegangan: 3VDC (2.4-3.2VDC)</li> <li>Lingkungan: Suhu 0°C - 40°C Kelembapan ≤ 93% RH</li> </ul> | <ul style="list-style-type: none"> <li>Model: TNT-WB1103</li> <li>Warna: Putih</li> <li>Gas Detection: LPG 433MHz (418-448MHz)</li> <li>Tegangan: 5VDC</li> <li>Device Type: A</li> </ul> | <ul style="list-style-type: none"> <li>Model: TNT-WM1104</li> <li>Warna: Merah</li> <li>Battery Life: 5 Years</li> <li>Tegangan: 2.2-3VDC</li> <li>Device Type: A</li> <li>Battery Capacity: 2200mAh/3V</li> </ul> | <ul style="list-style-type: none"> <li>Model: TNT-AWM202</li> <li>Warna: Merah</li> <li>Battery : 2000mAh 3.7V / Lithium Battery</li> <li>Tegangan: 100-240V ~ 50/60Hz</li> <li>Number Connected: 20 pcs</li> </ul> |

# STANDALONE DETECTOR



**TNT-SSD-TY  
SMART WIFI SMOKE  
DETECTOR**

## SPESIFIKASI:

- Tebal : 5 cm
- Diameter : 10 cm
- Alarm Sound Level :80db/1m
- Input Voltage :DC3V LR03
- Working Temperature: -10-50°C
- Low-voltage notification : 2.4V
- Include Baterai 9V 1 pcs
- Wifi Connect : Yes
- High Sensitive Detection
- Connect to your own device



**TNT-SSD-ZX  
SMOKE DETECTOR  
PHOTOELECTRIC**

## DALAM PAKET:

- Smoke detector. QTY: 1 pcs
- Bracket (kondisi terpasang). QTY: 1 pcs
- Phiser & Baut. QTY: 1 bag
- Baterai 9V. QTY: 1 pcs
- Buku manual. QTY: 1 pcs



**TNT-GLD-TY  
GAS DETECTOR**

## SPESIFIKASI:

- Voltage : 220 - 240V
- AC Power : 3Watt
- Alarm otomatis akan berhenti, setelah kadar gas menurun
- Power listrik 220V - AC Power 3 Watt



**TNT-GDC01  
SMART WIFI GAS  
DETECTOR**

## SPESIFIKASI:

- Tebal : 3.5 cm
- Diameter : 10 cm
- Alarm Sound Level :1.85db
- Input power : DC 5V (include micro usb adapter)
- working current : <150mA
- Response time : <30S
- Include Charger : Yes
- Wifi Connect : Yes
- High Sensitive Detection : Yes

## MANUAL CALL POINT



**TNT-FPB  
MANUAL PUSH  
BUTTON BASE**



**TNT-FP3  
MANUAL CALL POINT**



**TNT-D135C  
PUSH BUTTON  
CONVENTIONAL**

# FIRE ALARM CONTROL PANEL



**TNT-CFP2166-1  
FIRE ALARM CONTROL  
PANEL 1 ZONE**



**TNT-CFP2166-2  
FIRE ALARM CONTROL  
PANEL 2 ZONE**



**TNT-CFP2166-6  
FIRE ALARM CONTROL  
PANEL 6 ZONE**



**TNT-CFP2166-12  
FIRE ALARM CONTROL  
PANEL 12 ZONE**



**TNT-CFP2166-16  
FIRE ALARM CONTROL  
PANEL 16 ZONE**



**TNT-CFP2166-20  
FIRE ALARM CONTROL  
PANEL 20 ZONE**



## SPESIFIKASI PRODUK

| Produk               | FIRE ALARM CONTROL<br>PANEL 1 ZONE<br>TNT-CFP2166-1                                                                                                                                                                                                                                             | FIRE ALARM CONTROL<br>PANEL 2 ZONE<br>TNT-CFP2166-2                                                                                                                                                  | FIRE ALARM CONTROL<br>PANEL 6 ZONE<br>TNT-CFP2166-6                                                                                                                                              |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>• Detection Circuits : 1 Zone</li> <li>• Work Voltage : 220VAC 50/60Hz</li> <li>• Sounder Output : 2*200mA(Max)</li> <li>• Batteries : 2*12V 2.3Ah</li> <li>• Max Points : 20 Detectors with 10MCPs</li> <li>• Sound Output : 2*0.15A maximum</li> </ul> | <ul style="list-style-type: none"> <li>• Detection Circuits : 2 Zone</li> <li>• Work Voltage : 220VAC 50/60Hz</li> <li>• Sounder Output : 2*200mA(Max)</li> <li>• Batteries : 2*12V 2.3Ah</li> </ul> | <ul style="list-style-type: none"> <li>• Detection Circuits : 6 Zone</li> <li>• Work Voltage : 220VAC 50/60Hz</li> <li>• Sounder Output : 2 Channel</li> <li>• Batteries : 12V2.3AH*2</li> </ul> |

| Produk               | FIRE ALARM CONTROL<br>PANEL 12 ZONE<br>TNT-CFP2166-12                                                                                                                                                                                     | FIRE ALARM CONTROL<br>PANEL 16 ZONE<br>TNT-CFP2166-16                                                                                                                                                                                     | FIRE ALARM CONTROL<br>PANEL 20 ZONE<br>TNT-CFP2166-20                                                                                                                                                                                     |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>• Detection Circuits : 12 Zone</li> <li>• Work Voltage : 220VAC 50/60Hz</li> <li>• Sounder Output : 2 Channel</li> <li>• Batteries : 12V2.3AH*2</li> <li>• Dimensi (mm) : 362*565*124mm</li> </ul> | <ul style="list-style-type: none"> <li>• Detection Circuits : 16 Zone</li> <li>• Work Voltage : 220VAC 50/60Hz</li> <li>• Sounder Output : 2 Channel</li> <li>• Batteries : 12V2.3AH*2</li> <li>• Dimensi (mm) : 362*565*124mm</li> </ul> | <ul style="list-style-type: none"> <li>• Detection Circuits : 20 Zone</li> <li>• Work Voltage : 220VAC 50/60Hz</li> <li>• Sounder Output : 2 Channel</li> <li>• Batteries : 12V2.3AH*2</li> <li>• Dimensi (mm) : 362*565*124mm</li> </ul> |

# FIRE ALARM CONTROL PANEL ADDRESSABLE



**TNT-AFA01L**  
**CONTROL PANEL FULL**  
**ADDRESSABLE 1 LOOP**



**TNT-AFA02L**  
**CONTROL PANEL FULL**  
**ADDRESSABLE 2 LOOP**



**TNT-AFA1LM**  
**CONTROL PANEL FULL**  
**ADDRESSABLE MINI**



**TNT-CRP01A**  
**ANNUNCIATOR CONTROL PANEL**  
**FULL ADDRESSABLE**

## SPESIFIKASI PRODUK

| Produk        | CONTROL PANEL FULL ADDRESSABLE 1 LOOP<br>TNT-AFA01L                                                                                                                                               | CONTROL PANEL FULL ADDRESSABLE 2 LOOP<br>TNT-AFA02L                                                                                                                                               | CONTROL PANEL FULL ADDRESSABLE MINI<br>TNT-AFA1LM                                                                                                                                              | ANNUNCIATOR CONTROL PANEL ADDRESSABLE<br>TNT-CRP01A                                                                                                                                                        |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>• Color: Red</li> <li>• Protection Level : Ip30</li> <li>• Loop Numbers : 1</li> <li>• Work Voltage : 28 - 260VAC</li> <li>• Frequecy : 50/60Hz</li> </ul> | <ul style="list-style-type: none"> <li>• Color: Red</li> <li>• Protection Level : Ip30</li> <li>• Loop Numbers : 2</li> <li>• Work Voltage : 28 - 260VAC</li> <li>• Frequecy : 50/60Hz</li> </ul> | <ul style="list-style-type: none"> <li>• Color: Grey</li> <li>• Work Voltage: 220VAC</li> <li>• Frequency: 50/60Hz</li> <li>• Battery: 12V2.3AH*2</li> <li>• Protection Level: Ip30</li> </ul> | <ul style="list-style-type: none"> <li>• Color: Red</li> <li>• LED Screan: 2.6 Inch</li> <li>• Communication: CAN/LOOP</li> <li>• Work Voltage: 18-28VDC@Loop</li> <li>• Protection Level: Ip30</li> </ul> |

# ANNUNCIATOR FIRE ALARM



**TNT-CP1-5L-R  
ANNUNCIATOR FIRE ALARM  
CONTROL PANEL 5 ZONE**




**TNT-CP1-10L-R  
ANNUNCIATOR FIRE ALARM  
CONTROL PANEL 10 ZONE**



**TNT-CP1-R  
ANNUNCIATOR FIRE ALARM  
CONTROL PANEL 15 ZONE  
MCFA CONVENTIONAL**



**TNT-CP-07  
ANNUNCIATOR FIRE  
ALARM CONTROL PANEL  
FULL ADDRESSABLE**




**TNT-RP-03E  
FIRE ALARM CONTROL PANEL  
FULL ADDRESSABLE / MCFA**



**TNT-CRP2166  
REPEATER ANNUNCIATOR  
CONVENTIONAL PANEL**

# FIRE ALARM CONTROL PANEL



**TNT-CP1-5L  
5 ZONE**

## SPESIFIKASI:

Zone: 5 Circuit

Dimension: 330 x 300 x 120 mm

Weight: 5 kg

Power Supply: AC 220V 50/60Hz

Stand-by Battery: DC 24V



**TNT-CP1-10L  
10 ZONE**

## SPESIFIKASI:

Zone: 5 Circuit

Dimension: 330 x 300 x 120 mm

Weight: 5 kg

Power Supply: AC 220V 50/60Hz

Stand-by Battery: DC 24V



**TNT-CP1  
15 ZONE**

## SPESIFIKASI:

Zone: 5 Circuit

Dimension: 400 x 300 x 126 mm

Weight: 5 kg

Power Supply: AC 220V 50/60Hz

Stand-by Battery: DC 24V

## SPEKIFIKASI PRODUK

| Produk               | ANNUNCIATOR FIRE ALARM CONTROL PANEL 5 ZONE<br>TNT-CP1-5L-R                                                                                                                                         | ANNUNCIATOR FIRE ALARM CONTROL PANEL 10 ZONE<br>TNT-CP1-10L-R                                                                                                                                        | ANNUNCIATOR FIRE ALARM CONTROL PANEL 15 ZONE<br>MCFA CONVENTIONAL<br>TNT-CP1-R                                                                                                                          |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>• Material : Steel plate with powder coating</li> <li>• Zone circuit : 5 Line</li> <li>• Dimensi : 20 x 14,5 x 6,2 cm</li> <li>• Berat : 950 gram</li> </ul> | <ul style="list-style-type: none"> <li>• Material : Steel plate with powder coating</li> <li>• Zone circuit : 10 Line</li> <li>• Dimensi : 20 x 14,5 x 6,2 cm</li> <li>• Berat : 950 gram</li> </ul> | <ul style="list-style-type: none"> <li>• Material : Steel plate with powder coating</li> <li>• Zone circuit : 15 Line</li> <li>• Dimensi : 32,8 x 28,5 x 7,2 cm</li> <li>• Berat : 3200 gram</li> </ul> |

| Produk               | ANNUNCIATOR FIRE ALARM CONTROL PANEL FULL ADDRESSABLE<br>TNT-CP-07                                                                                                                                                            | FIRE ALARM CONTROL PANEL FULL ADDRESSABLE / MCFA<br>TNT-RP-03E                                                                                                                                                  | REPEATER ANNUNCIATOR CONVENTIONAL PANEL<br>TNT-CRP2166                                                                                                                                                             |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>• Material : Steel plate</li> <li>• Warna : Silver powder coated</li> <li>• Dimensi : 36 x 30 x 12 cm</li> <li>• Display : 7 inch color LCD</li> <li>• Power supply : DC24V</li> </ul> | <ul style="list-style-type: none"> <li>• Material : Steel plate</li> <li>• Warna : Silver powder coated</li> <li>• Loop capable : 256 Add / Loop (max. 8 Loops)</li> <li>• Dimensi : 45 x 45 x 17 cm</li> </ul> | <ul style="list-style-type: none"> <li>• Colour : Red</li> <li>• Work Voltage : 18 to 24VDC</li> <li>• Communication : RS485</li> <li>• Work Humidity : 5%-95%</li> <li>• Dimension : 190 x 270 x 30 mm</li> </ul> |

# EYE WASH



TNT-EW9-TP  
**EMERGENCY  
STANDING EYE WASH**



TNT-EW03FK  
**KERAN  
EYE WASH**



TNT-EW01WM  
**EMERGENCY  
SHOWER EYE WASH**



TNT-EW8P60  
**EMERGENCY EYE WASH  
BOTTLE KIT 500 ML**



TNT-EW8P60  
**EMERGENCY EYE WASH  
PORTABLE 60 L**



TNT-EW7P08  
**EMERGENCY EYE WASH  
PORTABLE 8 L**



TNT-EW04SE/TNT-EW04/P  
**EMERGENCY EYE WASH  
SHOWER STATION**



TNT-EW2P30  
**EMERGENCY EYE WASH  
PORTABLE 30 L**



TNT-CR05/TNT-CR06  
**NOZZLE EYE WASH**




## SPEKIFIKASI PRODUK

| Produk        | EMERGENCY EYEWASH SHOWER STATION<br>TNT-EW04/TNT-EW04/P                                                                                                                                                                                                                                           | EMERGENCY EYE WASH PORTABLE 30L<br>TNT-EW02P                                                                                                                                                                                                                | EMERGENCY EYE WASH PORTABLE 60L<br>TNT-EW08P                                                                                                                                             | EMERGENCY EYE WASH PORTABLE 8L<br>TNT-EW07P                                                                                     |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Material: Stainless Steel 304 / SS304</li> <li>Fungsi : Spray + Eyewash</li> <li>Ukuran : 2.060 x 640 cm</li> <li>Inlet size: 1-1/4 inch</li> <li>Outlet size: 1-1/4 inch</li> <li>Work pressure: 0.2 - 0.4 Mpa</li> <li>Test pressure: 2.0 Mpa</li> </ul> | <ul style="list-style-type: none"> <li>Ukuran: L 55cm x W 25cm x H 36 cm</li> <li>Net Weight: 3.5kg</li> <li>Material: New non-toxic polyethylene</li> <li>Volume: 30 ltr (8 gallons)</li> <li>Use time: 3 15min</li> <li>Flow rate: 3 1.5 L/min</li> </ul> | <ul style="list-style-type: none"> <li>Ukuran: L 54 cm x W 49 cm x H 57 cm</li> <li>Kapasitas : 60 Liter / 16 Galon</li> <li>Bahan : non-toxic materials of polyethylene (PE)</li> </ul> | <ul style="list-style-type: none"> <li>Kapasitas : 8 Liter</li> <li>Bahan : non-toxic materials of polyethylene (PE)</li> </ul> |

| Produk        | EMERGENCY STANDING EYE WASH<br>TNT-EW09                                                                                             | KERAN EYE WASH<br>TNT-EW03                                                                                                                                                                                                                             | EMERGENCY SHOWER EYE WASHER<br>TNT-EW01                                                                                                                                                                                                                      | NOZZLE EYE WASH<br>TNT-CR05/TNT-CR06                                                                          |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Ukuran : P 40 cm x L 25 cm x T 90 cm</li> <li>Bahan : Stainless Steel 304 / Ss304</li> </ul> | <ul style="list-style-type: none"> <li>Material : 304 stainless steel</li> <li>Switch : rotary switch</li> <li>Height : 320mm</li> <li>Diameter : 20mm</li> <li>Inlet size : 1/2 inch</li> <li>Bisa diputar 360 dan terdapat pelindung debu</li> </ul> | <ul style="list-style-type: none"> <li>Bahan : Stainless Steel 304 / SS304</li> <li>Fungsi : 1.0 Mpa</li> <li>Nominal pressure: 1.0 Mpa</li> <li>Work pressure : 0.2-0.4 Mpa</li> <li>Test pressure : 2.0 Mpa</li> <li>Inlet pipe size : 1/2 inch</li> </ul> | <ul style="list-style-type: none"> <li>Material : Stainless &amp; ABS</li> <li>Drat Inlet : ½ Inch</li> </ul> |

# FIRE SPRINKLER




TNT-SP-P  
SPRINKLER PLATE




TNT-SP-P68C  
SPRINKLER CONCEALED 68C



TNT-SP-PSS  
SPRINKLER PLATE STAINLESS




TNT-SP-S68  
SPRINKLER PENDENT 68C




TNT-SP-P68  
SPRINKLER SIDEWALL 68C



TNT-SP-U68  
SPRINKLER UPRIGHT 68C



TNT-SP-P93  
SPRINKLER PENDENT 93C



TNT-SPP141  
SPRINKLER PENDENT 141C

## SPEKIFIKASI PRODUK

| Produk               | SPRINKLER PLATE<br>TNT-SP-P                                                                                                                                               | SPRINKLER<br>CONCEALED 68C<br>TNT-SP-P68C                                                                                                                                                                                                                 | STAINLESS<br>SPRINKLER PLATE<br>TNT-SP-PSS                                                                                                                                |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>• Material : Plat besi pipih</li> <li>• Untuk ukuran sprinkler : 20 mm (1/2 Inch)</li> <li>• Diameter : 6,6 cm / 660 mm</li> </ul> | <ul style="list-style-type: none"> <li>• Panjang Drat : 20 mm (1/2 Inch)</li> <li>• Tinggi : 45 mm</li> <li>• Suhu Pecah : 68,5 Celcius</li> <li>• Waktu Pecah : 6,16 Detik</li> <li>• Jarak Pancar : 2,4 Meter</li> <li>• Daya Tahan : 12 Bar</li> </ul> | <ul style="list-style-type: none"> <li>• Material : Stainless tahan karat</li> <li>• Ukuran sprinkler : 20 mm (1/2 Inch)</li> <li>• Diameter : 6,6 cm / 660 mm</li> </ul> |

| Produk               | SPRINKLER<br>PENDENT 68C<br>TNT-SP-P68                                                                                                                                                                                                                     | SPRINKLER<br>SIDEWALL 68C<br>TNT-SP-S68                                                                                                                                                                                                                   | SPRINKLER<br>UPRIGHT 68C<br>TNT-SP-U68                                                                                                                                                                                                                     |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>• Panjang Drat : 18 mm (1/2 Inch)</li> <li>• Tinggi : 50 mm</li> <li>• Suhu Pecah : 78,5 Celcius</li> <li>• Waktu Pecah : 15,56 Detik</li> <li>• Jarak Pancar : 2,5 Meter</li> <li>• Daya Tahan : 12 Bar</li> </ul> | <ul style="list-style-type: none"> <li>• Panjang Drat : 18 mm (1/2 Inch)</li> <li>• Tinggi : 50 mm</li> <li>• Suhu Pecah : 68,5 Celcius</li> <li>• Waktu Pecah : 6,16 Detik</li> <li>• Jarak Pancar : 2,4 Meter</li> <li>• Daya Tahan : 12 Bar</li> </ul> | <ul style="list-style-type: none"> <li>• Panjang Drat : 18 mm (1/2 Inch)</li> <li>• Tinggi : 50 mm</li> <li>• Suhu Pecah : 66,9 Celcius</li> <li>• Waktu Pecah : 10,52 Detik</li> <li>• Jarak Pancar : 2,8 Meter</li> <li>• Daya Tahan : 12 Bar</li> </ul> |

# FIRE HYDRANT & AKSESORIS



TNT-HP-301  
**HYDRANT PILAR  
ONE WAY**

## SPESIFIKASI

- Model: Machino & VDH
- Inlet Connection: 3 inch
- Outlet Connection: 2,5
- Working Pressure (Psi): 15 Bar
- Warna: Epoxy Paint
- Body Material: Cor



TNT-HP04TM-10/TNT-HP04TM-16  
**HYDRANT PILLAR TWO WAY  
IMPORTJIS 10K/JIS 16 K**

## SPESIFIKASI

- Material : Casting Iron & Brass
- Working pressure : Flange (10 Bar / 16 Bar)
- Body Test Pressure : 25 Bar
- Maximum Pressure : 45 Bar
- Size : 4" x 2.5" x 2.5"
- Tipe Coupling : MCH x MCH atau VDH x VDH atau MCH x VDH (Bisa custom)



TNT-HP-K01  
**HANDLE HYDRANT PILLAR**

## FIRE HOSE & AKSESORIS



TNT-FHR130  
**FIRE HOSE REEL**



TNT-100891  
**BUTTERFLY FIRE VALVE**



1,5 INCH



2,5 INCH

TNT-GNP015/TNT-GNP025  
**FIRE NOZZLE GUN PROTEK**

## SPESIFIKASI PRODUK

| Produk           | FIRE HOSE REEL<br>TNT-HR01                                                                                                                                                                                                                                 | BUTTERFLY<br>FIRE VALVE<br>TNT-100891                                                                                                                                                                                                                                                                               | FIRE NOZZLE<br>GUN PROTEK 1,5 INCH<br>TNT-GNP15                                                                                                                                                                                                           | FIRE NOZZLE<br>GUN PROTEK 1,5 INCH<br>TNT-GNP25                                                                                                                                                                                                         |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Detail<br>Produk | <ul style="list-style-type: none"> <li>• Material Selang : Rubber</li> <li>• Ukuran : 1 inch</li> <li>• Panjang : 30 Meter</li> <li>• Tekanan : 12 bar</li> <li>• Material swinging frame : Baja</li> <li>• Dilengkapi dengan Gate Valve 1 Inch</li> </ul> | <ul style="list-style-type: none"> <li>• Merek: TOSHIRO by TONATA</li> <li>• Ukuran: 4 Inchi</li> <li>• Tekanan Kerja Maks: 300 PSI (Tekanan Uji Maks: 600 PSI)</li> <li>• Suhu Kerja Maks: 80 Derajat Celcius</li> <li>• Lapisan Interior dan Eksterior dilapisi semprotan atau pelapisan elektrostatik</li> </ul> | <ul style="list-style-type: none"> <li>• Connection : Drat NHT (Adaptor Machino opsional)</li> <li>• Size : 1.5" (38 mm)</li> <li>• Working Pressure : 8 Bar</li> <li>• Max Pressure : 40 Bar</li> <li>• Flow Rate : 115 - 230 - 360 - 475 LPM</li> </ul> | <ul style="list-style-type: none"> <li>• Connection : Drat NHT (Adaptor Machino opsional)</li> <li>• Size : 2.5"</li> <li>• Working Pressure : 8 Bar</li> <li>• Max Pressure : 40 Bar</li> <li>• Flow Rate : 350 - 450 - 580 - 780 - 950 LPM</li> </ul> |

# FIRE HOSE RUBBER



1.5" x 20m



1.5" x 30m



2.5" x 20m



2.5" x 30m

TNT-RBR1502-VDH/TNT-RBR15-VDH/TNT-RBR2502-VDH/TNT-RBR25-VDH  
**FIRE HOSE RUBBER VDH**



1.5" x 20m



1.5" x 30m



2.5" x 20m



2.5" x 30m

TNT-RBR1502-STZ/TNT-RBR15-STZ/TNT-RBR2502-STZ/TNT-RBR25-STZ  
**FIRE HOSE RUBBER STORZ**



1.5" x 20m



1.5" x 30m



2.5" x 20m



2.5" x 30m

TNT-RBR1502-INS/TNT-RBR15-INS/TNT-RBR2502-INS/TNT-RBR25-INS  
**FIRE HOSE RUBBER INSTANTANEOUS**



1.5" x 20m



1.5" x 30m



2" x 20m



2" x 30m

TNT-RBR1502/TNT-RBR15/TNT-RBR2002/TNT-RBR20  
**FIRE HOSE RUBBER MACHINO**



2.5" x 20m



2.5" x 30m



3" x 20m



3" x 30m

TNT-RBR2502/TNT-RBR25/TNT-RBR3002/TNT-RBR30  
**FIRE HOSE RUBBER MACHINO**



# FIRE HOSE CANVAS



TNT-CH1520  
FIRE HOSE CANVAS  
MACHINO 1.5" x 20m



TNT-CH1530  
FIRE HOSE CANVAS  
MACHINO 1.5" x 30m



TNT-EPDM15  
FIRE HOSE CANVAS EPDM  
MACHINO 1.5" x 30m



TNT-CHB015-16  
FIRE HOSE CANVAS  
MACHINO 16 BAR 1.5" x 30m



TNT-CH2520  
FIRE HOSE CANVAS  
MACHINO 2.5" x 20m



TNT-CH2530  
FIRE HOSE CANVAS  
MACHINO 2.5" x 30m



TNT-EPDM25  
FIRE HOSE CANVAS EPDM  
MACHINO 2.5" x 30m



TNT-CHB025-16  
FIRE HOSE CANVAS  
MACHINO 16 BAR 2.5" x 30m



TNT-CH0220  
FIRE HOSE CANVAS MACHINO  
2" x 20m



TNT-CH0230  
FIRE HOSE CANVAS MACHINO  
2" x 30m

# FIRE HOSE HYDRANT AKSESORIS

1,5 INCH



2 INCH



2,5 INCH



3 INCH



TNT-100699/TNT-101089/  
TNT-100698/TNT-100700  
**COUPLING MACHINO  
ALUMUNIUM**

1,5X1,5 INCH



1,5X2,5 INCH



2,5X2,5 INCH



TNT-100702/TNT-100701/TNT-100703  
**COUPLING STORZ  
ALUMUNIUM**

1,5 INCH



2,5 INCH



TNT-100696/TNT-100697  
**COUPLING INSTANTANEOUS  
ALUMUNIUM**

1,5 INCH



2,5 INCH



TNT-100175/TNT-100176  
**COUPLING MACHINO  
KUNINGAN**

1,5 INCH



2,5 INCH



TNT-100730/TNT-100731  
**COUPLING VDH  
ALUMUNIUM**

1,5 INCH



2,5 INCH



TNT-100775/TNT-100776  
**COUPLING NHT  
KUNINGAN**

1,5 INCH  
Alumunium



1,5 INCH  
Kuningan



2,5 INCH  
Alumunium



2,5 INCH  
Kuningan



TNT-VN15K/TNT-VN25K/  
TNT-VN15A/TNT-VN25A  
**SPRAY NOZZLE**



2 HANDLE 1.5 x 1.5 x 1.5  
TNT-YC01MCH



2 HANDLE 2.5 x 1.5 x 1.5  
TNT-YC01MCH



2 HANDLE 2.5 x 2.5 x 2.5  
TNT-YC02MCH

**Y CONNECTION HYDRANT**

## SPEKIFIKASI PRODUK

| Produk        | COUPLING MACHINO ALUMINIUM<br>TNT-100699/TNT-101089/<br>TNT-100698/TNT-100700                                                                                        | COUPLING STORZ ALUMINIUM<br>TNT-100702/TNT-100701/<br>TNT-100703                                                        | COUPLING INSTANTANEOUS ALUMINIUM<br>TNT-100696/TNT-100697                                                                                                           | COUPLING MACHINO KUNINGAN<br>TNT-100175/TNT-100176                                                                                |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Type : Machino</li> <li>Material : Aluminium</li> <li>Terdapat 2 Varian SQ (Standar Quality) dan GQ (High Quality)</li> </ul> | <ul style="list-style-type: none"> <li>Type : Storz</li> <li>Material : Aluminium</li> <li>GQ (High Quality)</li> </ul> | <ul style="list-style-type: none"> <li>Type : Instantaneous</li> <li>Size : 2.5 Inch / 1.5 Inch</li> <li>Material : Aluminium</li> <li>GQ (High Quality)</li> </ul> | <ul style="list-style-type: none"> <li>Type : Machino</li> <li>Size : 1.5 Inch / 2.5 Inch</li> <li>Material : Kuningan</li> </ul> |

| Produk        | COUPLING VDH ALUMINIUM<br>TNT-100730/TNT-100731                                                                                                           | COUPLING NHT KUNINGAN                                                                                                                                    | SPRAY NOZZLE<br>TNT-VN15K/TNT-VN25K/<br>TNT-VN15A/TNT-VN25A                                                                                                          | Y CONNECTION HYDRANT<br>TNT-YC01MCH                                                                                                           |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Type : VDH</li> <li>Size : 2.5 Inch / 1.5 Inch</li> <li>Material : Aluminium</li> <li>GQ (High Quality)</li> </ul> | <ul style="list-style-type: none"> <li>Type : NHT</li> <li>Size : 2.5 Inch / 1.5 Inch</li> <li>Material : Kuningan</li> <li>GQ (High Quality)</li> </ul> | <ul style="list-style-type: none"> <li>Type : Variable Nozzle / Spray Nozzle</li> <li>Size : 1.5 Inch / 2.5 Inch</li> <li>Material : Aluminium / Kuningan</li> </ul> | <ul style="list-style-type: none"> <li>Type : Coupling Machino</li> <li>Bahan : Aluminium</li> <li>Dilengkapi dengan handle ON/OFF</li> </ul> |

# FIRE HOSE HYDRANT AKSESORIS



1,5 INCH




2,5 INCH

**TNT-HSL-15/25  
HOSE RACK LOKAL**



1,5 INCH



2,5 INCH

**TNT-HRI-15/25  
HOSE RACK IMPORT**



**TNT-TDV-01  
TEST DRAIN VALVE  
1 INCH**



2 INCH



2,5 INCH

**TNT-JNSH2/TNT-JNSH25/TNT-JNSH15  
JET NOZZLE  
ALUMUNIUM STORZ**



**JNC15/25  
JET NOZZLE  
ALUMUNIUM VDH**



**TNT-JNA  
JET NOZZLE  
ALUMUNIUM MACHINO**



**TNT-JNB  
JET NOZZLE  
KUNINGAN MACHINO  
1.5 INCH - 2.5 INCH**



**PTR-VSR-F-25 - PTR-VSR-F-80  
FLOW SWITCH  
JOHNSON**



**TNT-FS-JOHN  
FLOW SWITCH JOHNSON  
2.5 Inch - 3 Inch - 4 Inch - 6 Inch - 8 Inch**

## SPESIFIKASI PRODUK

| Produk        | HOSE RACK<br>TNT-HS15L/TNT-HS25L/<br>TNT-HR15/TNT-HR25                                                                                                                                                                               | TEST DRAIN<br>VALVE 1 INCH<br>TNT-TDV01                                                                                | JET NOZZLE<br>ALUMUNIUUM STORZ<br>TNT-JNSH2/TNT-JNSH25/<br>TNT-JNSH15                                                                                                                                                                      | JET NOZZLE<br>ALUMUNIUUM<br>MACHINO<br>TNT-JNA                                                                                |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Kualitas IMPORT (Pemotongan mesin CNC)</li> <li>Size : 1.5 Inch / 2.5 Inch</li> <li>Material : Aluminium</li> <li>Finishing : Chrome</li> <li>Tersedia dua Varian Lokal dan Import</li> </ul> | <ul style="list-style-type: none"> <li>Ukuran : 1 Inch</li> <li>Tekanan : 175 psi</li> <li>Bahan : Kuningan</li> </ul> | <ul style="list-style-type: none"> <li>Material : Body Nozzle Alumunium</li> <li>Jenis coupling : Storz coupling</li> <li>Ukuran coupling : 2 Inch / 2.5 Inch</li> <li>Dilengkapi dengan ON-OFF Valve Handle (katup buka tutup)</li> </ul> | <ul style="list-style-type: none"> <li>Material : Body Nozzle Alumunium</li> <li>Jenis coupling : Machino coupling</li> </ul> |

| Produk        | JET NOZZLE<br>ALUMUNIUUM VDH<br>TNT-JNC15/25                                                                              | JET NOZZLE<br>KUNINGAN MACHINO<br>TNT-JNB                                                                                    | FLOW SWITCH<br>JOHNSON<br>PTR-VSR-F-25 -<br>PTR-VSR-F-80                                                                                                                                   | WATERFLOW<br>DETECTOR<br>TNT-FS-JOHN                                                                                                                                           |
|---------------|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Material : Body Nozzle Alumunium</li> <li>Jenis coupling : VDH coupling</li> </ul> | <ul style="list-style-type: none"> <li>Material : Body Nozzle Kuningan</li> <li>Jenis coupling : Machino coupling</li> </ul> | <ul style="list-style-type: none"> <li>JOHNSON CONTROLS F61KB-11C WATER FLOW SWITCH 100% ORIGINAL</li> <li>PN: F61KB-11C</li> <li>Connection: SCREW 1 "</li> <li>Paddle: 4 piec</li> </ul> | <ul style="list-style-type: none"> <li>Static Pressure: 450 psi (31 bar)</li> <li>Compatible Pipe: Steel water pipe, schedule 7 through 40*</li> <li>UL/FM Standard</li> </ul> |


## HYDRANT VALVE



TNT-LV10K25  
**BRASS 10K VDH**

### SPESIFIKASI:

- Type : Coupling VDH
- Size : 2.5 Inch
- Material : Brass / Kuningan
- Test Pressure : 10 Bar



TNT-L10K15/TNT-L10K2/TNT-L10K25  
**BRASS 10K MACHINO**

### SPESIFIKASI:

- Type : Coupling Machino 10K
- Size : 1.5 Inch, 2 Inch & 2.5 Inch
- Material : Brass / Kuningan
- Working pressure : 10 Bar
- Test Pressure : 20 Bar



TNT-16K15-M/TNT-16K25-M/TNT-16K25-V  
**BRASS CHROME  
16K MACHINO**

### SPESIFIKASI:

- Type : Coupling Machino 16K
- Size : 1.5 Inch & 2.5 Inch
- Material : Brass Chrome / Krom Kuningan
- Test Pressure : 16 Bar

## SPEED BUMP



**TNT-SB015**  
**RUBBER SPEED BUMP**  
50 x 35 x 5 cm



**TNT-SB03**  
**RUBBER SPEED BUMP**  
100 x 35 x 7 cm




**TNT-SB01**  
**RUBBER SPEED BUMP**  
100 x 35 x 5 cm



**TNT-SB04**  
**RUBBER SPEED BUMP**  
100 x 38 x 5 cm



**TNT-SB02**  
**RUBBER SPEED BUMP**  
100 x 10 x 2 cm



**TNT-SB02**  
**RUBBER SPEED BUMP**  
**HEAVY DUTY**  
50 x 40 x 5 cm



## SPEKIFIKASI PRODUK

| Produk                      | RUBBER SPEED BUMP<br>50 x 35 x 5 cm<br>TNT-SB0150 | RUBBER SPEED BUMP<br>50 x 38 x 5 cm<br>TNT-SB04 | RUBBER SPEED BUMP<br>50 x 40 x 5 cm<br>TNT-SB05 |
|-----------------------------|---------------------------------------------------|-------------------------------------------------|-------------------------------------------------|
| Material                    | Solid Rubber                                      |                                                 |                                                 |
| Berat                       | 5.500 gram                                        | 10.000 gram                                     | 8.500 gram                                      |
| Warna                       | Kuning & Hitam                                    |                                                 |                                                 |
| Panjang                     | 50 cm                                             | 50 cm                                           | 50 cm                                           |
| Lebar                       | 35 cm                                             | 38 cm                                           | 40 cm                                           |
| Tinggi                      | 5 cm                                              | 5 cm                                            | 5 cm                                            |
| Scotlight                   | Merah / Putih                                     | Putih                                           | -                                               |
| Rekomendasi Bobot Kendaraan | 20 Ton                                            | 30 Ton                                          | 75 Ton                                          |

| Produk                      | RUBBER SPEED BUMP<br>100 x 10 x 2 cm<br>TNT-SB02 | RUBBER SPEED BUMP<br>100 x 35 x 5 cm<br>TNT-SB01 | RUBBER SPEED BUMP<br>100 x 35 x 7 cm<br>TNT-SB03 |
|-----------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|
| Material                    | Solid Rubber                                     |                                                  |                                                  |
| Berat                       | 2.500 gram                                       | 10.000 gram                                      | 13.000 gram                                      |
| Warna                       | Kuning & Hitam                                   |                                                  |                                                  |
| Panjang                     | 100 cm                                           | 100 cm                                           | 100 cm                                           |
| Lebar                       | 10 cm                                            | 35 cm                                            | 35 cm                                            |
| Tinggi                      | 2 cm                                             | 5 cm                                             | 7 cm                                             |
| Scotlight                   | -                                                | Merah / Putih                                    | -                                                |
| Rekomendasi Bobot Kendaraan | 10 Ton                                           | 20 Ton                                           | 20 Ton                                           |

# SPEED BUMP




**TNT-EC01**  
**RUBBER END CAP**  
**SPEED BUMP 35 x 5 cm**



**TNT-EC02**  
**RUBBER END CAP**  
**SPEED BUMP 35 x 7 cm**



**TNT-EC03**  
**RUBBER END CAP**  
**SPEED BUMP 38 x 5 cm**



**TNT-EC04**  
**RUBBER END CAP**  
**SPEED BUMP 40 x 5 cm**




**TNT-CR-01L**  
**CABLE RAMP 1 LINE**



**TNT-CR-02L**  
**CABLE RAMP 2 LINE**



**TNT-CR-03L**  
**CABLE RAMP 3 LINE**



**TNT-CR-04L**  
**CABLE RAMP 5 LINE**

## SPESIFIKASI CABLE RAMP

- Material : Rubber untuk bagian hitam ; Plastik keras untuk bagian kuning / penutup
- Jumlah Line : 1 - 5 Line
- Panjang : 100 cm / 1 meter
- Tinggi : 5 cm
- Penutup dapat dibuka tutup / fleksibel
- Rekomendasi bobot kendaraan maksimal yang dapat melewati : 10 Ton

# WHEEL CHOCK



TNT-WC1-08  
**WHEEL CHOCK 0.8 KG**

## SPESIFIKASI

- Lebar : 9 cm
- Tinggi : 15.5 cm
- Panjang : 9 cm
- Panjang pemegang roda : 16.5 cm
- Scotlight : Tidak
- Material : Rubber



TNT-WC3-03  
**WHEEL CHOCK 3 KG**

## SPESIFIKASI

- Lebar : 15 cm
- Tinggi : 18 - 18.5 cm
- Panjang : 25 cm
- Panjang pemegang roda : 30 cm
- Scotlight : Ya, 3 buah
- Material : Rubber



TNT-WC6-06  
**WHEEL CHOCK 6 KG**

## SPESIFIKASI

- Lebar : 24 cm
- Tinggi : 17.5 cm
- Panjang : 25 cm
- Panjang pemegang roda : 31 cm
- Scotlight : Ya, 3 buah
- Material : Rubber



TNT-WC9-95  
**WHEEL CHOCK 9.5 KG**

## SPESIFIKASI

- Material : Rubber
- Lebar : 29 cm
- Tebal / Tinggi : 25 cm
- Panjang Alas : 31 cm
- Panjang pemegang roda : 38 cm
- Berat / Netto : 9,5 kg

## Rekomendasi Bobot Kendaraan Maksimal Yang Dapat Melewati

**WHEEL CHOCK 0.8 KG**

**400 KG**

**WHEEL CHOCK 3 KG**

**1 Ton**

**WHEEL CHOCK 6 KG**

**5 Ton**

**WHEEL CHOCK 9.5 KG**

**8 Ton**

# RUBBER RAMP



100 X 35 X 15 CM



100 x 30 x 13 CM



100 x 25 x 10 CM

TNT-RR-05/TNT-RR-04/TNT-RR-03  
**RUBBER RAMP**



100 x 25 x 7 CM



100 x 25 x 5 CM

TNT-RR-02/TNT-RR-01  
**RUBBER RAMP**

## SPESIFIKASI PRODUK

| Produk               | RUBBER RAMP<br>100 X 35 X 15 CM<br>TNT-RR-05                                                                                                                                       | RUBBER RAMP<br>100 x 30 x 13 CM<br>TNT-RR-04                                                                                                                                       | RUBBER RAMP<br>100 X 25 X 10 CM<br>TNT-RR-03                                                                                                                                         |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>• Material : Solid Rubber</li> <li>• Warna : Hitam</li> <li>• Panjang : 95 cm</li> <li>• Lebar : 35 cm</li> <li>• Tinggi : 15 cm</li> </ul> | <ul style="list-style-type: none"> <li>• Material : Solid Rubber</li> <li>• Warna : Hitam</li> <li>• Panjang : 94 cm</li> <li>• Lebar : 30 cm</li> <li>• Tinggi : 13 cm</li> </ul> | <ul style="list-style-type: none"> <li>• Material : Solid Rubber</li> <li>• Warna : Hitam</li> <li>• Panjang : 94,5 cm</li> <li>• Lebar : 25 cm</li> <li>• Tinggi : 10 cm</li> </ul> |

| Produk               | RUBBER RAMP<br>100 x 25 x 7 CM<br>TNT-RR-02                                                                                                                                         | RUBBER RAMP<br>100 x 25 x 5 CM<br>TNT-RR-01                                                                                                                                         |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Detail Produk</b> | <ul style="list-style-type: none"> <li>• Material : Solid Rubber</li> <li>• Warna : Hitam</li> <li>• Panjang : 95 cm</li> <li>• Lebar : 24 cm</li> <li>• Tinggi : 7,3 cm</li> </ul> | <ul style="list-style-type: none"> <li>• Material : Solid Rubber</li> <li>• Warna : Hitam</li> <li>• Panjang : 95 cm</li> <li>• Lebar : 23,5 cm</li> <li>• Tinggi : 5 cm</li> </ul> |

# SIAMESE CONNECTION



TNT-SMB-01  
**SIAMESE BRASS  
S7 MACHINO**



TNT-SMB-05  
**SIAMESE CHROME  
BRASS S11 MACHINO**



TNT-SMB-02  
**SIAMESE BRASS  
S7 VDH**



TNT-SMB-06  
**SIAMESE CHROME  
BRASS S11 VDH**



TNT-SMB-03  
**SIAMESE BRASS  
S7 MACHINO VDH**



TNT-SMB-07  
**SIAMESE BRASS  
S11 PIPE**



TNT-SMB-04  
**SIAMESE BRASS 4 WAY**

## SPEKIFIKASI PRODUK

| Produk        | SIAMESE BRASS<br>S7 MACHINO<br>TNT-SMB01                                                                                                                                                                       | SIAMESE BRASS<br>S7 VDH<br>TNT-SMB02                                                                                                                                                                       | SIAMESE BRASS<br>S7 MACHINO VDH<br>TNT-SMB03                                                                                                                                                                         | SIAMESE CHROME<br>BRASS S11 VDH<br>TNT-SMB06                                                                                                                                                                                                                   |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>• Body material : Full Kuningan</li> <li>• Model coupling : Machino</li> <li>• Type : S7</li> <li>• Working pressure : 10 bar</li> <li>• 2 Outlet connection</li> </ul> | <ul style="list-style-type: none"> <li>• Body material : Full Kuningan</li> <li>• Model coupling : VDH</li> <li>• Type : S7</li> <li>• Working pressure : 10 bar</li> <li>• 2 Outlet connection</li> </ul> | <ul style="list-style-type: none"> <li>• Body material : Full Kuningan</li> <li>• Model coupling : VDH X Machino</li> <li>• Type : S7</li> <li>• Working pressure : 10 bar</li> <li>• 2 Outlet connection</li> </ul> | <ul style="list-style-type: none"> <li>• Model : Machino VDH</li> <li>• Type : S11</li> <li>• Inlate : 4 Inch</li> <li>• Outlate : 2.5 inch</li> <li>• Body Material : Brass</li> <li>• Working pressure : 10 bar</li> <li>• Test pressure : 30 bar</li> </ul> |

| Produk        | SIAMESE CHROME<br>BRASS S11 MACHINO<br>TNT-SMB05                                                                                                                                                                                                           | SIAMESE BRASS<br>4 WAY<br>TNT-SMB04                                                                                                                                                                                                                                                                   | SIAMESE BRASS<br>S11 PIPE<br>TNT-SMB07                                                                                            |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>• Model : Machino</li> <li>• Type : S11</li> <li>• Inlate : 4 Inch</li> <li>• Outlate : 2.5 inch</li> <li>• Body Material : Brass</li> <li>• Working pressure : 10 bar</li> <li>• Test pressure : 30 bar</li> </ul> | <ul style="list-style-type: none"> <li>• Material : Cast Iron</li> <li>• Type : S7</li> <li>• Dimensi : 34 cm X 28 cm</li> <li>• Ukuran Inlet : 6" / 6 Inch</li> <li>• Ukuran Outlet : 2,5"x2,5"x2,5"x2,5"</li> <li>• Jenis Coupling : Machino (Kuningan)</li> <li>• Test Tekanan : 24 Bar</li> </ul> | <ul style="list-style-type: none"> <li>• Material : Stainless tebal</li> <li>• Dimensi ukuran : 60 cm x 11 cm (4 Inch)</li> </ul> |



## LAKBAN



TNT-FM1-R5/TNT-FM5-G5/TNT-FM3-B5/TNT-FM2-H5/TNT-FM4-Y5/TNT-FM6-BY/TNT-FM7-RW

### FLOOR MARKING TAPE



TNT-ASTH01/TNT-ASTH05/TNT-ASBY01/TNT-ASBY05/TNT-ASGLOW/TNT-ASBS05/  
TNT-ASBN05/TNT-ASBN01/TNT-ASPEVA/TNT-ASAB05/TNT-ASAB01/TNT-ASRD05

### ANTI SLIP TAPE

5 CM X 1 METER - 5 CM X 5 METER


# LAKBAN



TNT-SLY145/TNT-SLY160/TNT-SLR245/TNT-SLR260/TNT-SLW345/TNT-SLW360/  
TNT-SLRW05Z/TNT-SLRW05ZE/TNT-SLYB06Z/TNT-SLYB06ZE/TNT-SLRW04/TNT-SLRW04E

## SCOTLIGHT TAPE

5 CM X 45 METER - 60 CM X 5 CM



TNT-AFT001/TNT-AFT002B/TNT-AFT003B/TNT-AFT004B

## ALUMINIUM FOIL TAPE

5 CM X 10 M - 5 CM X 3M - 10 CM X 5M - 10 CM X 10 M

# LAKBAN




TNT-PL02HK/TNT-PL02MP/TNT-PL02BP/TNT-PL03HK/TNT-PL03MP/TNT-PL03BP  
**POLICE LINE TAPE**  
 2 INCH X 300 METER - 3 INCH X 300 METER



TNT-GID601/TNT-GID602/TNT-GID403/TNT-GID404  
**ANTI SLIP TAPE**  
 2.5 CM X 5 METER - 5 CM X 5 METER



TNT-NT-001/2/3/4  
**NANO TIPE**



TNT-SRT001/TNT-SRT002/TNT-SRT003  
**WINDOW  
 REPAIR TAPE**

## FLAGGING TAPE



TNT-FT-001  
**FLAGGING TAPE TONATA MERAH**  
2 cm x 30 cm




TNT-FT-004  
**FLAGGING TAPE TONATA ORANGE**  
2 cm x 30 cm



TNT-FT-002  
**FLAGGING TAPE TONATA KUNING**  
2 cm x 30 cm



TNT-FT-005  
**FLAGGING TAPE TONATA HIJAU**  
2 cm x 30 cm



TNT-FT-006  
**FLAGGING TAPE TONATA BIRU**  
2 cm x 30 cm



TNT-FT-003  
**FLAGGING TAPE TONATA PUTIH**  
2 cm x 30 cm




TNT-FT-007  
**FLAGGING TAPE TONATA PINK**  
2 cm x 30 cm



## WATER SAFETY



TNT-LB-TL08-10MTR/TNT-LB-TL08-20MTR/  
TNT-LB-TL08-30MTR/TNT-LB-TL10-10MTR/  
TNT-LB-TL10-20MTR/TNT-LB-TL10-30MTR  
**TALI PELAMPUNG**  
8 MM - 10 MM



TNT-LB010R/TNT-LB010R-B  
**RING BUOY**



TNT-LB-HAR  
**HOOK & RING TALI  
PELAMPUNG**



TNT-BZPTY-1  
**LIFE JACKET**



TNT-BZPTY2  
**AUTOMATIC INFLATABLE  
LIFE JACKET**

## SPEKIFIKASI PRODUK

| Produk        | TALI PELAMPUNG<br>TNT-LB-TL08-10MTR/TNT-LB-TL08-20MTR/TNT-LB-TL08-30MTR/TNT-LB-TL10-10MTR/TNT-LB-TL10-20MTR/TNT-LB-TL10-30MTR                                                                                                                                    | RING BUOY<br>TNT-LB01OR/<br>TNT-LB01OR-B                                                                                                                                                                         | LIFE JACKET<br>TNT-BZPTY-1                                                                                                                                                                                                                                                       | HOOK & RING TALI PELAMPUNG<br>TNT-LB-HR                                                                                                                     |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Material : serat PP berkualitas</li> <li>Ukuran : 8 mm &amp; 10 mm</li> <li>Varian panjang tali : 10 / 20 / 30 Meter</li> <li>Warna : Oranye Dilengkapi dengan karabiner yang dapat dikaitkan dengan ring buoy</li> </ul> | <ul style="list-style-type: none"> <li>Berat: 2.5 Kgs</li> <li>Terdapat tambang di sekitar Ring Buoy</li> <li>4 Buah Scotlight</li> <li>Panjang &amp; Tebal : 71 cm x 11.5 cm</li> <li>Warna : Oranye</li> </ul> | <ul style="list-style-type: none"> <li>Dimensi : Est. 53 cm x 42 cm x 6 cm</li> <li>Peluit : Yes</li> <li>Scotlight : Yes (2 buah di depan, 2 buah di belakang)</li> <li>Sertifikat : SNI ISO 9001:2015 dan AS 4758.1: 2015</li> <li>Buoyancy : 50N</li> <li>All size</li> </ul> | <ul style="list-style-type: none"> <li>Material : Plastik tebal (Ring) &amp; Mild steel (Hook)</li> <li>Warna : Oranye (Ring) &amp; Perak (Hook)</li> </ul> |

| Produk        | LIFE JACKET<br>TNT-BZPTY-1                                                                                                                                                                                                                                                       | AUTOMATIC INFLATABLE LIFE JACKET<br>TNT-BZPTY-1                                                                                                                                                                                                                                              |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Detail Produk | <ul style="list-style-type: none"> <li>Dimensi : Est. 53 cm x 42 cm x 6 cm</li> <li>Peluit : Yes</li> <li>Scotlight : Yes (2 buah di depan, 2 buah di belakang)</li> <li>Sertifikat : SNI, ISO 9001:2015 dan AS 4758.1:2015</li> <li>Buoyancy : 50N</li> <li>All size</li> </ul> | <ul style="list-style-type: none"> <li>Bahan : Gas CO2 , 33 gram</li> <li>Kapasitas airbag inflator : 16.5 Liter</li> <li>Retensi Waktu Gas : 5 Hari Berat Max : 120kg</li> <li>Sensor Air : Otomatis &amp; Manual</li> <li>Sertifikasi : Standar Internasional</li> <li>All size</li> </ul> |

## SARUNG TANGAN



TNT-GPUT-S/TNT-GPUT-M/TNT-GPUT-L  
**POLOS HITAM**  
TERSEDIA UKURAN S - M - L



TNT-GT1B-T  
**TONATA BIRU**



TNT-GP1B-P  
**POLOS BIRU**




# HYDRANT VALVE MACHINO



**TNT-16K15-M**  
HYDRANT VALVE 1.5" BRASS  
CHROME 16K MACHINO



**TNT-L10K15**  
HYDRANT VALVE 1.5"  
BRASS 10K MACHINO



**TNT-L10K2**  
HYDRANT VALVE 2"  
BRASS 10K MACHINO



**TNT-L10K25**  
HYDRANT VALVE 2.5"  
BRASS 10K MACHINO



**TNT-16K25-M**  
HYDRANT VALVE 2.5" BRASS  
CHROME 16K MACHINO



**TNT-FL16K-15**  
HYDRANT VALVE MACHINO  
1.5" 16K TYPE FLANGE



**TNT-FL16K-25**  
HYDRANT VALVE MACHINO  
2.5" 16K TYPE FLANGE

## ADAPTOR REDUCE FEMALE



TNT-ADP102  
**ADAPTOR REDUCER  
FEMALE BSP**  
2" X MALE MACHINO 1.5" - ALUMUNIU



TNT-ADP101  
**ADAPTOR REDUCER  
FEMALE BSP**  
2" X MALE MACHINO 1.5" - BRASS



TNT-ADP104  
**ADAPTOR REDUCER  
FEMALE MACHINO**  
2" X MALE MACHINO 1.5" - BRASS



TNT-ADP103  
**ADAPTOR REDUCER  
FEMALE MACHINO**  
2.5" X MALE MACHINO 2" - BRASS

## RATCHET TIE DOWN



**TNT-RT20802**  
**RATCHET TIE DOWN 2 TON**  
2" X 8 m



**TNT-RT21002**  
**RATCHET TIE DOWN 2 TON**  
2" X 10 m



**TNT-RT20805**  
**RATCHET TIE DOWN 5 TON**  
2" X 8 m



**TNT-RT21005**  
**RATCHET TIE DOWN 5 TON**  
2" X 10 m



**TNT-RT21205**  
**RATCHET TIE DOWN 5 TON**  
2" X 12 m



**TNT-RT21505**  
**RATCHET TIE DOWN 5 TON**  
2" X 15 m



**TNT-RT15008**  
**RATCHET TIE DOWN 5 TON**  
1" X 5 m


## BOX PANEL LISTRIK



**TNT-BPI-01**  
**BOX PANEL LISTRIK INDOOR**  
30 x 20 x 12

### SPESIFIKASI:

- Material: Mild plat steel
- Finishing: Powder coated
- Dimensi: 30 x 20 x 12 cm
- Berat: 1.500 gram



**TNT-BPI-02**  
**BOX PANEL LISTRIK INDOOR**  
40 x 30 x 18

### SPESIFIKASI:

- Material: Mild plat steel
- Finishing: Powder coated
- Dimensi: 40 x 30 x 18 cm
- Berat: 2.800 gram



**TNT-BPO-03**  
**BOX PANEL LISTRIK OUTDOOR**  
30 x 20 x 12

### SPESIFIKASI:

- Material : Mild plat steel
- Finishing : Powder coated
- Dimensi : 30 x 20 x 12 cm
- Berat : 1600 gram



**TNT-BPO-04**  
**BOX PANEL LISTRIK OUTDOOR**  
40 x 30 x 18

### SPESIFIKASI:

- Material: Mild plat steel
- Finishing: Powder coated
- Dimensi: 40 x 30 x 18 cm
- Berat: 2900 gram



**TNT-BPI-05**  
**BOX PANEL LISTRIK INDOOR**  
15 x 15 x 8

### SPESIFIKASI:

- Material: Mild plat steel
- Finishing: Powder coated
- Dimensi: 15 x 15 x 8 cm
- Berat: 890 gram

## WEBBING SLING BELT



TNT-TA3-01Y  
WEBBING SLING BELT  
YELLOW  
3 TON X 2 M



TNT-TA3-02Y  
WEBBING SLING BELT  
YELLOW  
3 TON X 3 M



TNT-TA3-03Y  
WEBBING SLING BELT  
YELLOW  
3 TON X 3 M



TNT-TA2-01G  
WEBBING SLING BELT  
GREEN  
2 TON X 1 M



TNT-TA2-02G  
WEBBING SLING BELT  
GREEN  
2 TON X 2 M



TNT-TA2-03G  
WEBBING SLING BELT  
GREEN  
2 TON X 3 M



TNT-TA1-01P  
WEBBING SLING BELT  
PURPLE  
1 TON X 1 M



TNT-TA1-02P  
WEBBING SLING BELT  
PURPLE  
1 TON X 2 M



TNT-TA1-03P  
WEBBING SLING BELT  
PURPLE  
1 TON X 3 M



## BAJU PEMADAM



TNT-SWR165/170/175  
**BAJU PEMADAM MERAH**

### SPESIFIKASI:

Material : Katun tahan api (Standar)

Ketebalan: 270 g/m

Sifat Tahan Api : Waktu pembakaran lanjutan < 1 Detik

Standar: XF10-2014

Lulus uji: Memenuhi syarat

Reflektor: Ya

Kelengkapan :

- Baju & celana pemadam
- Sarung tangan
- Tas pemadam



TNT-SWN170/175/180  
**BAJU PEMADAM NAVY**

### SPESIFIKASI:

Sifat Tahan Api : Waktu Pembakaran Lanjutan < 2 Detik

Standar: XF10-2014

Lapisan Luar:

Material: Katun tahan api

Ketebalan: 280 gram per meter persegi

Reflektor: Ya

Lapisan dalam (quilted Cotton):

Material: Quilted Cotton (Zhijing)

Ketebalan: 285 gram per meter persegi

Lulus uji: Memenuhi Syarat

Kelengkapan: Baju & Celana pemadam, Sarung tangan, Tas pemadam, Belt



TNT-SWA170/174/178  
**BAJU PEMADAM ALUMINIUM**

### SPESIFIKASI:

Material : Bahan serat kaca berlapis aluminium foil  
ketahanan radiasi Panas : 800 °C

Panjang karbon tahan api: Kurang dari 20 mm

Kinerja tahan air: 9000 Pa

Kekuatan sobek: 350 N

Lulus uji: Memenuhi Syarat

Kelengkapan :

Baju & Celana pemadam, Sarung tangan, pelindung khaki, helm, Tas pemadam

## PRODUK LAINNYA



**TNT-SG-K01  
SAFETY GLASSES**



**TNT-SWG-01  
SAFETY WELDING  
GOGGLES**



**TNT-EM-001  
EARMUFF SAFETY**



**TNT-LSH-06/TNT-LSH-08  
LETTER S  
PLASTIC CHAIN**



**TNT-100617  
CAP HOLE T  
TOP BOLLARD**



**TNT-BR  
SAFETY RUBBER TILE**



**TNT-SCBA-STL  
SCBA BREATHING  
APPARATUS 6L**



**TNT-SCBA-CFC  
SCBA BREATHING  
APPARATUS 6.8L**



**TNT-SP01  
SAFETY BOOT**



## PRODUK LAINNYA



**TNT-FCB01  
FIRE SAFETY CABINET**



**TNT-ESH-01  
EMERGENCY  
SAFETY HAMMER**



**TNT-CHR130  
FIE HOSE REEL  
COVER**



**TNT-WFS010  
WET FLOOR SIGN**



**TNT-PP020L  
BACKPACK PUMP**



**TNT-FH-SHM-T/TNT-FH-SHM-D  
HELM DAMKAR**



**TNT-A-ACB01  
EMERGENCY RESCUE**

## PRODUK LAINNYA



TNT-WS01/TNT-WS02  
**WHEEL STOPPER RUBBER**



80 CM X 9 CM



100 CM X 8 CM

TNT-CG01/TNT-CG02  
**CORNER GUARD RUBBER**



TNT-WG01-T/TNT-WG01-D  
**RUBBER WALL  
GUARD PROTECTOR**

## PRODUK LAINNYA



**TNT-HC-L91  
HALLIGAN HOLLIGAN**



**TNT-FH-F23  
FIRE HOOK BAJA  
FIBERGLASS**



**TNT-SBM300  
SAFETY BARRICADE  
MESH**



**TNT-WTB100  
ROAD BARRIER**



**TNT-BHR848  
BOX FIRE HOSE REEL**



**TNT-MFT130L  
MOBILE FOAM TANK**



**TNT-AP-R02  
DUDUKAN APAR**



**TNT-AP-R03  
DUDUKAN APAR  
STAINLESS STEEL**



**TNT-EFM30A  
FIRE ESCAPE HOOD**



**TNT-SHP-P/TNT-SHP-R/TNT-SHP-BR/TNT-SHP-OR/TNT-SHP-Y  
SAFETY HELMET**

## PRODUK LAINNYA



**TNT-101341  
COUPLING NAKAJIMA 1.5"**



**TNT-101342  
COUPLING NAKAJIMA 2.5"**



**TNT-FM40-JIS  
FIRE MONITOR**



**TNT-GV-101  
GATE VALVE FIRE  
HYDRANT ANSI 1"**



**TNT-GV-102  
GATE VALVE FIRE  
HYDRANT ANSI 4"**



**TNT-CMC2166-2  
RED EMERGENCY  
BREAK GLASS**



**TNT-GV-103  
GATE VALVE FIRE  
HYDRANT ANSI 6"**



**TNT-BH-SL01/ TNT-BHDL02  
BODY HARNESS**



**TNT-BHA-SL/ TNT-BHA-DL  
BODY HARNESS ABSORBER**



**TNT-FL-001  
SENER LED HEAVY DUTY**



**TNT-SWL-01  
TONGKAT LALU LINTAS**




**TNT-EM-002  
EARPLUG**



## PRODUK LAINNYA



TNT-VCT1005  
VELCRO DOUBLE  
ADHESIVE TAPE  
10 CM X 50 CM



TNT-VCT10100  
VELCRO DOUBLE  
ADHESIVE TAPE  
10 CM X 50 M



AKS-100072  
NOZZLE APAR



TNT-AXE-02  
WAIST FIRE AXE



TNT-AXE-01  
FIRE AXE FIBERGLASS



TNT-BP3K01/TNT-BP3K02  
KOTAK P3K / KOTAK P3K



TNT-RST-01  
ROAD STUD PAKU  
MARKA JALAN



TNT-101178  
PRESSURE REDUCING  
VALVE



TNT-EP-80L  
EMBER PEMADAM  
API



SA1-DM/SA2-TM/SA5-SP/SA6-SP/SA3-TM  
RAMBU AKRILIK APAR

## PRODUK LAINNYA



**TNT-MASCBA/TNT-PGSCBA/TNT-VASCBA  
MASKER SCBA**



**TNT-SVC-S2  
COVER FIRE  
THERMATIC SPRINKLER**



**TNT-SVC-S3  
COVER FIRE  
SPRINKLER STEEL**



**TNT-MEB002  
MANUAL EMERGENCY  
BUTTON**



**TNT-EM-003  
PENUTUP TELINGA  
COPOT PASANG**

## PRODUK LAINNYA



**TNT-MF-001/002/003**  
**COVERING FILM MASKING TAPE**



**TNT-S07-PH**  
**SAFETY HELMET HEAVY**  
**DUTY TONATA**



**TNT-S07-YK**  
**SAFETY HELMET HEAVY**  
**DUTY TONATA**



**TNT-S07-MR**  
**SAFETY HELMET HEAVY**  
**DUTY TONATA**



**TNT-S07-BR**  
**SAFETY HELMET HEAVY**  
**DUTY TONATA**



## PRODUK LAINNYA



**TNT-SVR1-O**  
**SAFETY VEST**  
**REFLECTIVE ORANGE**



**TNT-SVR2-B**  
**SAFETY VEST**  
**REFLECTIVE BIRU**



**TNT-SVR3-G**  
**SAFETY VEST**  
**REFLECTIVE HIJAU**



**TNT-SVR4-R**  
**SAFETY VEST**  
**REFLECTIVE MERAH**



**TNT-SVM5-O**  
**SAFETY VEST**  
**MESH ORANGE**



**TNT-SVM6-G**  
**SAFETY VEST**  
**MESH HIJAU**



**TNT-WL-082**  
**FOLDABLE CONE LIGHT**



**TNT-WL-Y01**  
**WARNING LIGHT SAFETY**  
**CONE RED**



**TNT-WL-R02**  
**WARNING LIGHT SAFETY**  
**CONE YELLOW**

## PRODUK LAINNYA



TNT-HMP-01  
HAMPERS TONATA PREMIUM GIFT



TNT-HMP-02  
HAMPERS TONATA PREMIUM GIFT



## OUR WORKSHOPS

### **Tonata Safety - Tangerang**

📍 Jl. Jendral Gatot Subroto, Ruko Alicante,  
Blok. A / 18 Gading Serpong.

☎ 0851-8337-3797 / 0821-3737-1231 / 0812-9588-3737

### **Tonata Safety - Bandung**

📍 Jl. Terusan Pasirkoja No.14

☎ 0821-3737-1236

### **Tonata Safety - Surabaya**

📍 Jl. Rungkut Industri Raya No.66

☎ 0822-1323-3737

### **Tonata Safety - Deli Serdang (Medan)**

📍 Komplek Grand Cempaka Asri, Tuan,  
Jl. Cemara No.8J

☎ 0822-1190-3737

[sales@tonataindonesia.com](mailto:sales@tonataindonesia.com)